



TENDER DOCUMENTS

FOR

WORK FOR THE CONSTRUCTION OF 176 NOS. GF/STILTS PLUS THREE STOREYED EWS FLATS, GR.I INCLUDING INTERNAL PH & EI SERVICES IN SECTOR-8 AT CHARKHI DADRI

| | |
|-----------------------|------------------------|
| Estimated cost | Rs.1221.59 Lacs |
| Earnest Money | Rs.5.00 Lacs |
| Time Limit | 24 Months |

Contractor

Witness

Executive Engineer

INDEX

| S.NO. | DESCRIPTION | PAGE NO. |
|-------|---|----------|
| 1. | DIRECTIONS FOR THE GUIDANCE OF CONTRACTORS AND GENERAL RULES | 3-11 |
| 2. | PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS | 12-13 |
| 3. | TENDER FOR WORKS | 14 |
| 4. | CONDITIONS OF CONTRACT | 15-27 |
| 5. | SCHEDULE OF MATERIALS TO BE ISSUED BY THE DEPARTMENT | 28-29 |
| 6. | LIST OF APPROVED MAKE OF VARIOUS ITEMS | 30 |
| 7. | TECHNICAL CONDITION AND IMPORTANT SPECIFICATION | 31-34 |
| 8. | TECHNICAL CONDITIONS, IMPORTANT SPECIFICATIONS AND MODE OF MEASUREMENTS FOR ELECTRICAL WORKS | 35-36 |
| 9. | ADDITIONAL CONDITIONS | 37-46 |
| 10. | LABOUR REGULATIONS & FAIRWAGES CLAUSE | 47-50 |
| 11. | GURANTEE TO BE EXECUTED BY CONTRACTORS FOR WATER PROOFING | 51 |
| 12. | SCHEDULE OF SPECIFICATION OF ITEMS, QUANTITIES, RATES SCHEDULE OF SPECIFICATION OF ITEMS, QUANTITIES, RATES | 52-78 |

Contractor

Witness

Executive Engineer

**HOUSING BOARD HARYANA, CONSTRUCTION DIVISION, ROHTAK
GENERAL RULES AND DIRECTIONS FOR THE GUIDANCE OF CONTRACTORS**

1. Tenders are hereby invited on behalf of Housing Board Haryana for the below mentioned work from the contractors currently enlisted in the appropriate category with any State Government, Central Government, MES and Public Sector Undertakings. The contractors of the appropriate class while applying for tender, should submit the papers/ certificate(s) from appropriate authority of having successfully completed three similar works, each of value not less than 40% of estimated cost or two similar works each of value not less than 50% of the estimated cost or one similar work of value not less than 80% of the estimated cost of the relevant packages in the last five years.
For this purpose "cost of work" shall mean the value of the completed works including cost of material supplied by the client organization, but excluding the material supplied free of cost. This should be certified by an Officer not below the rank of Executive Engineer or equivalent. The cost of works executed by the tenderer shall be updated @ 10% per annum compoundable.
Note: Following factors shall be used to update the cost of work @ 10% per annum:

| Years Before | Multiplying Factor |
|---------------------|---------------------------|
| One | 1.10 |
| Two | 1.21 |
| Three | 1.33 |
| Four | 1.46 |
| Five | 1.61 |

2. The contractor should have minimum average annual financial turn over during last three years ending 31st March of previous financial year at 30% percent of the estimated cost, duly audited by the Chartered Accountant (10% compounded value per year to be added).
3. The contractor should not have incurred any loss in more than two years during the last five years ending 31st March of previous financial year and shall enclose necessary certificate from the concerned authority. An affidavit has to be furnished in this regard by the agency.
4. **Bidding Capacity** = $A \times N \times 3 - B$, where:
A= Maximum value of works executed in any one year during the last five years (taking into account the works completed and in progress and updated to the price level as prescribed in the tender documents).
N= Number of years prescribed for completion of the work for which the tender invited (Period up to six months be taken as half-year and more than six months as full year).
B= Value at current price level, of existing commitments and ongoing works to be completed during the period of completion of the works for which these tender are invited.

5. **CRITERIA FOR ASSESSING THE CAPACITY OF TENDERER FOR AWARD OF WORKS**

The Eligible tenderer shall be awarded those number of works for which the capacity of the tenderer has been ascertained based on the evaluation of its/his bidding capacity. In case, the tenderer is lowest in more works than the eligibility as per their/his bidding capacity, then such works would not be awarded to them and the next lowest tenderer shall be considered.

Contractor

Witness

Executive Engineer

6. The tenders will be received by the Executive Engineer, Housing Board Haryana, Construction Division, Rohtak in double envelope system up to 1.00 pm on 28.08.2014. The 1st envelope of tenders containing earnest money, conditions & technical bid will be opened on 28.08.2014 at 3.30 P.M. in the office of the Executive Engineer, Housing Board Haryana, Rohtak by the Executive Engineer in the presence of tenderers or their authorized representatives who may like to be present. The 2nd envelope of the tenders containing the "**Price Bid**" will be opened after proper scrutiny of "Terms and conditions Bid" and other documents contained in first envelope on 29.08.2014 at 11.00 A.M. in the presence of tenderers or their authorized representatives who may like to be present.
7. Earnest money @ 2% of the estimated cost as mentioned in the tender notice subject to maximum of Rs 5.00 Lacs in shape of demand draft / pay order / Banker's Cheque drawn on any scheduled Bank of India in favour of Housing Board Haryana, Rohtak payable at Rohtak of any scheduled bank, (In case of demand draft, the draft shall be payable at Panchkula) must accompany each tender and tender is to be in the sealed cover prescribed the name of the work and addressed to the Executive Engineer, Housing Board Haryana, Rohtak.
No other form of payment for earnest money will be accepted.
8. The contractual agency in whose favour allotment of work will be approved shall have to deposit the remaining amount to make earnest money 2%, and in case of Co-operative Labour and Construction Societies are required to deposit remaining amount to make earnest money 1% of the estimated cost as mentioned in the tender notice of work within **14** days from the date of the intimation from Executive Engineer before issuance of allotment letter of work. In case contractual agency fails to deposit the remaining amount by the stipulated date intimated by Executive Engineer, then earnest money deposited by the agency will be forfeited.
9. **Performance Security**
- 9A Performance Security to be deposited by successful tenderer to Engineer-in-Charge within 21 days from the date of receipt of allotment letter issued by the Engineer-in-Charge in any of the forms as given below, for an amount equivalent to 2% of the contract price. The performance security will be valid up to the end of the defect liability period plus 45 days, in case the time of completion is enlarged, the validity of the performance security shall be correspondingly extended. It carries no interest and is refunded to the contractor without interest after the date as specified in the contract:
 - i) A Bank guarantee in the form given in the requisite Proforma
 - ii) Certified Bank Draft
- 9B. Performance Security for Co-operative L & C Societies shall be half of the performance security applicable to the contractors for works up to Rs. 50.00 lacs.
- 9C. Failure of the successful tenderer to comply with the requirement of condition No 9 & 9A, mentioned above shall constitute sufficient ground for cancelation of the allotment of work, forfeiture of earnest money and debarring the agency to give tender in Housing Board Haryana for 3 years.
10. Tenders are to be on the prescribed form of percentage rate tender and contract for works, which can be obtained from the Office of Executive Engineer, Housing Board Haryana, Rohtak. The prescribed form contains the "Conditions of the contract" to be complied with by the person whose tender may be accepted. Applicant will be required to pay the cost of the tender form in shape of Bank Draft or Pay order of Rs.20000/- (Non Refundable) for tender form supplied to them.

Contractor

Witness

Executive Engineer

11. Tender documents are also available on Housing Board Haryana Web site www.hbh.nic.in and www.tenders.gov.in . Interested tenderers can download the documents through internet and can submit the tenders duly completed along with tender document fee of Rs.20,000/- per tender in shape of Demand Draft/Pay order/Bank's Cheque in favour of Housing Board Haryana Payable at Rohtak (non refundable).The fee of Rs. 20,000/- should be enclosed in the envelope containing earnest money. If the tenderer fail to enclose the tender documents fee of Rs.20,000/- along with his tender, then his tender will not be considered.
12. The sale of tender documents will be closed on 28.08.2014 at 1.00 P.M.
13. If the prescribed date is declared holiday due to any reason, the next working date shall be the effective date.
14. Tenders submitted telegraphically will not be considered at all and shall be out rightly rejected.
15. The tenderer is advised to visit the site of work at his own cost and examine it and its surroundings by him to collect all information that the tenderer considers necessary for proper assessment of the prospective assignment.
16. The intending tenderer shall fill his offer in percentage rate above or below on the Haryana Schedule of rates 1988 plus sanctioned ceiling premium as on the date of tender at its appropriate place, signs all pages of the tender documents and initial all the corrections and cuttings. The percentage rate given on HSR 1988 plus sanctioned ceiling premium on the date of tender will also be applicable on the rates of non schedule items mentioned in the DNIT. The tenders in format other than the single percentage tender will not be considered and will be rejected.
17. Further information can be obtained and a schedule of quantities, details, plans and Specifications can be seen in the Office of Executive Engineer between the hours 9.00 AM to 5.00 P.M. on every working day, except Saturday, Sunday and Public Holidays.
18. The Validity of the tender is **120** days from the date of opening of tender. If a tenderer limits the validity to a lesser period in his tender, his tender is liable to be rejected.
19. Each tenderer shall give proof to the entire satisfaction of Executive Engineer that he has in possession of PWD B&R Specifications Book 1990 as applicable to Haryana and amendment till date.
20. Executive Engineer reserves to himself the right of issuing the material to the contractor as per list enclosed for use on work at the places and rates noted against each plus 3% storage charges. The contractor shall be held responsible for obtaining from Board all such material required for Work from Board's store as per terms of contract, regardless of fluctuations in the market rates or in the stock issue rates of the Division. No carriage or incidental charges will be borne by the Board for moving the materials beyond the place where the contractor has agreed to take delivery thereof, even if there is a specific provision for the payment of carriage and incidental charges in the preface of Haryana P.W.D. Schedule of Rates, 1988.
21. The Tenderer shall initial all corrections in his tender as regards percentage, time etc.
22. Acceptance of tender will rest with the competent authority that does not bind itself to accept the lowest tender and reserves to itself the authority to reject any or all the tenders without assigning any reason.
23. The tenderer shall comply with the detailed instructions incorporated in the tender document.

Contractor

Witness

Executive Engineer

24. The tenderer whose tender is accepted is required to execute a contract agreement on the prescribed form of the contract and on Non-Judicial stamp paper of Rs.100/- and to furnish security for the fulfillment of the contract. This security will consist of deduction of 10% from the running payments to be made on account of work done. The 2% earnest money (mentioned at paragraph 7 above) will be treated as part of the security. **The Earnest Money may be forfeited, if the successful tenderer fails to sign the agreement within 21 days from the issue of allotment letter.**
25. If any information furnished by the Contractual Agency is found incorrect at a later date, he shall be debarred from tendering/taking up works in future **for forever** in Housing Board Haryana. The Board reserves the right to verify the particulars furnished by the Contractual Agency independently.
26. If the tenderer is an individual, he shall sign the tender documents above his name with seal and current address.
27. If the tenderer is a proprietary firm, the tender documents shall be signed by the proprietor above his full typewritten name with seal and the full name of his firm with its current address.
28. If the tenderer is a firm in partnership, the tender documents shall be signed by all the partners of the firm above their full typewritten name and current addresses or alternatively by a person holding power of attorney for the firm. In the latter case a certified copy of the power of attorney should accompany the tender documents. In both cases a certified copy of the partnership deed and current address of all partners of the firm with its seal should accompany the tender document.
29. If the tenderer is a Limited Company or a Corporation, the tender documents shall be signed by a person duly authorized by the Company / Corporation. The officer who will give the power of attorney to the person for signing the tender document shall be competent to give such power of attorney in the Memorandum of Articles of Association. The tender document must accompany the copy of the Power Attorney given to that person. The company/Corporation should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.
30. Performance certificates from respective Organizations certifying suitability, technical know how will be submitted duly signed by an officer not below the rank of Executive Engineer or Chief Project Manager or equivalent.
31. If the tenderer modifies or withdraws his tender without written consent of the Executive Engineer within a period of ninety days from the date of tender, he will be blacklisted and his earnest money will be forfeited.
32. The tenderer should submit his offer in two envelopes. Technical Bid, conditions, proof of enlistment & EMD should be put in 1st envelope subscribed Technical Bid and EMD of the contractual agency in appropriate category and performance duly attested will also be enclosed in 1st envelope duly sealed. The 2nd envelope subscribed as "Price Bid" shall contain only the rates and no other conditions, clarification or observations. 2nd envelope of those Contractual Agencies will be opened who will fulfill conditions and eligibility criteria. Any departure from the above would make the tender invalid and it will not be opened and if erroneously opened, will not be considered at all.
33. The authority opening the tender will first of all open the first envelope subscribed as "Terms & Conditions" by the tenderer. He will get each condition priced from the concerned tenderers, if the same has not been priced by the tenderer. If the tenderer fails to price the condition and deviate from the above procedure, his tender would be treated as invalid and it would not be opened or if erroneously opened, shall not be considered at all. Further the tenderer responsible for the material deviations shall be liable to be delisted forthwith without assigning any reason. However, it is made clear that in case the first

Contractor

Witness

Executive Engineer

envelope is not received along with "Price Bid" envelope, it will be presumed that tenderer has no condition to offer and thus it will be treated as nil.

34. In case any tenderer does not comply with the procedure given above and fails to give financial implication and pricing of his conditions (for the withdrawal of conditions at variance with stipulation of Tender documents) it will be presumed that he is not interested in the work and second envelope i.e. "Price Bid" envelope shall be returned to him un-opened and un-considered, while opening and deciding the second envelope of the tenderer.
35. No tenderer is allowed to give any fresh conditions/rates that are disadvantageous to the Board after opening Price Bid. Such a condition, if given, makes the tender invalid
36. If a tenderer withdraws or modify any of condition that is already priced at the **first** instance to Board then effect of condition as originally offered by the agency will be accounted for, working out the lowest tenderer
37. The Tenderer shall give the following information along with the tender in the prescribed Performa:

| | | |
|------|---|----------------|
| i) | List of works already completed by the tenderer during last five years. | (Performa 'A') |
| ii) | Declaration regarding works in hand and existing commitment to be completed during the period of completion of the work for which bids are invited. | (Performa 'B') |
| iii) | The financial turn over for the last three years. | (Performa 'C') |
| iv) | List of Plant and Machinery in good working order available with the tenderer. | (Performa 'D') |
| v) | Affidavit that bidder has not abandoned any work of Govt. of India / State Govt. / Govt. undertaking during the last five years. | (Performa 'E') |
| vi) | Undertaking that bidder would invest minimum cash upto 25 % of value of the work during implementation of work. | (Performa 'F') |

Note: Performas A to F are enclosed with tender form

| | | |
|--|----------------|-----------------|
| | Estimated cost | Rs.1221.59 Lacs |
| | Earnest Money | Rs.5.00 Lacs |
| | Time Limit | 24 Months |

38. The contractual agencies enlisted with organizations other than Housing Board Haryana, has to furnish the details of immovable and moveable property owned by them and their residential address supported with documentary proof along with deposit of balance earnest money to make 2% of estimated cost as mentioned in the tender notice before issue of allotment letter.
39. The contractor shall associate an eligible Electrical contractor for the execution of electrical works. The contractor executing the electrical works under this contract must be enlisted with C.P.W.D., M.E.S., Railways or State P.W.D. or any State. The name of the eligible Electrical contractor along with his consent shall be submitted by the main civil contractor to the concerned Executive Engineer before the award of the tender along with certified copy of Class-A license issued by the competent authority.
40. The tenderer should be understood as tenderer / consortium firm wherever mentioned in the tender documents for all intents & purposes.
41. Tenderer will have to provide computerized weigh batcher 1 No.(3 bag capacity minimum) confirming to IS code and of required capacity to be used for the production of design mix concrete where specified with all required accessories. In case this weigh batcher is not sufficient at site due to heavy foundations or otherwise, computerized Concrete Batching Plant of bigger capacity will have to be installed.

Contractor

Witness

Executive Engineer

42. **Pre bid meeting:**

In case of works with DNIT amount above Rs 10.00 crore, a pre bid meeting shall be held at Rohtak on dated 21.08.2014 at 11.00 A.M. The purpose of meeting will be to clarify issues and to answer questions for clarification of any doubt. Any modification of bid documents which may become necessary as a result of pre bid meeting shall be made.

43. The date of start of work shall be reckoned after 10 days from the date of issue of allotment of work by the Engineer-in-charge.

Certified that this NIT contains 1 to 78 pages

-Sd-

Divisional Accountant,
Housing Board Haryana,
Rohtak.

-Sd-

Executive Engineer,
Housing Board Haryana,
Rohtak.

PROFORMA 'A'
LIST OF WORK ALREADY COMPLETED BY THE TENDERER

| Sr.No | Name of work | Place | Date of Start | Date of Completion | Time take in month to completion work | Remarks |
|--------------|---------------------|--------------|----------------------|---------------------------|--|----------------|
| (1) | 2(a) | 2(b) | 2(c) | (3) | (4) | (5) |
| | | | | | | |

Date

Signature of the tenderer

PROFORMA ('B')
DECLARATION REGARDING WORK IN HAND WITH THE TENDERER

| Sr. No. | Name of work | Place | Estimate cost | Date of issue of work order | Stipulated period of completion | Amount of work done on | Brief detail of delay if any | Remarks |
|----------------|---------------------|--------------|----------------------|------------------------------------|--|-------------------------------|-------------------------------------|----------------|
| (1) | 2(a) | 2(b) | (3) | (4) | (5) | (6) | (7) | (8) |
| | | | | | | | | |

Note: 1. Amount of work done in column 6 should be given up to the month previous to which tenders are invited.

Date

Signature of the tenderer

Contractor

Witness

Executive Engineer

PROFORMA ('C')
FINANCIAL INFORMATION

Financial Analysis- Details to be furnished duly supported by figures in balance sheet/profit & loss account for the last five years duly certified by the Chartered Accountant, as submitted by the Tenderer to the Income Tax Department (Copies of be attached):

i) Years:

| Sr. No | Description | Years | | | | |
|--------|---|-----------|-----------|-----------|-----------|-----------|
| | | 2008-2009 | 2009-2010 | 2010-2011 | 2011-2012 | 2012-2013 |
| 1. | Gross annual Turn over on construction works. | | | | | |
| 2. | Profit/loss | | | | | |

ii) Financial arrangements for carrying out the proposed work.

iii) The following certificates be also enclosed:

- a) Tax deducted at source certificates from the clients for the last three years.
- b) Income Tax Clearance Certificate.
- c) Solvency Certificate from bankers of Tenderer.

Signature of
Chartered Accountant
With seal

Signature of Tenderer
With seal

PROFORMA ('D')

**LIST OF PLANT AND MACHINERY IN GOOD WORKING ORDER AVAILABLE
WITH THE TENDERER**

| Sr. No. | Plant & Machinery | Location | Age of Machinery | Make | Capacity | Approx Value | Remarks |
|---------|-------------------|----------|------------------|------|----------|--------------|---------|
| (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) |
| | | | | | | | |

Signature of the tenderer

Dated:

Contractor

Witness

Executive Engineer

PROFORMA ('E')

AFFIDAVIT

1. I, the undersigned, do hereby certify that all the statements made in the required attachments are true and correct.
2. The undersigned also hereby certifies that neither our firm
M/s _____ have abandoned any work Govt. of India or any State or Govt. undertakings nor any contract awarded to us for such works have been rescinded on account of our default, during last five years prior to the date of this bid.
3. The undersigned hereby authorize(s) and request(s) any bank, person, firm or corporation to furnish pertinent information deemed necessary and requested by the Department to verify this statement or regarding my (our) competence and general reputation.
4. The undersigned and agrees that further qualifying information may be requested and agrees to furnish any such information at the request of the Department/Project implementing agency.

(Signed by an Authorized Officer of the Firm)

DATE

(Title of Officer)

(Name of Firm)

PROFORMA ('F')

UNDERTAKING

I, the undersigned do hereby undertake that our firm
M/s _____ would invest a minimum cash up to 25 % of the value of the work during implementation of the Contract.

(Signed by an Authorized Officer of the Firm)

DATE

(Title of Officer)

(Name of Firm)

Contractor

Witness

Executive Engineer

**HOUSING BOARD HARYANA CONSTRUCTION DIVISION PANCHKULA
(FORM: F-1)**

PERCENTAGE RATE TENDER AND CONTRACT FOR WORKS

1. All works proposed for execution by contract will be notified in form of invitation to tender pasted on a board hung up in the office of Executive Engineer duly signed by the Executive Engineer.
This form will state the work to be carried out, as well as the date for submitting and opening tenders and the time allowed for carrying out the work also the amount of earnest money to be deposited with tender, and the amount of the security deposit to be deposited by the successful tenderer and percentage, if any to be deducted from bills. Copies of the specifications, designs and drawings, Haryana P.W.D. Schedule of Rates 1988 and any other documents required in connection with the work, signed for the purpose of identification by the Executive Engineer shall also be open for inspection by the contractors at the office of the Executive Engineer during office hours.
2. In the event of the tender being submitted by a firm, it must be signed separately by each member thereof, or, in the event of the absence of any partner, it must be signed on his behalf by a person holding a power of attorney from that partner to do so.
3. Any person who submits a tender shall fill up the usual printed form, stating at how much percentage above or below the rates specified, he is willing to undertake the work. Only percentage above or below on all the Haryana PWD Schedule of rates 1988 plus sanctioned ceiling premium on the date of tender shall be named. Tender which propose any alteration in the work specified in the said form of invitation to tender, or in time allowed for carrying out the work, or which contain any other condition of any sort, will be liable to rejection. No single tender shall include more than one work, but contractor who wish to tender for two or more works shall submit a separate tender for each. Tenderers shall have name and number of the work they refer written outside the envelope.
4. The Executive Engineer or his duly authorized Assistant Engineer will open tenders in the presence of any intending contractor or their authorized agents who may be present at the time and will enter the amount of several tenders in a comparative statement in a suitable form. In the event of a tender being accepted, a receipt for the earnest money forwarded therewith shall thereupon be given to the contractor who shall thereupon for the purposes of identification sign copies of the specification and other documents. In the event of a tender being rejected, the earnest money forwarded with such unaccepted tender shall thereupon be returned to the contractor.
5. The Board may refuse or suspend payments on account of a work when executed by firm or by contractor described in their tender as a firm, unless receipts are signed by all the partners, or one of the partners or some other person produces written authority enabling him to give actual receipts on behalf of the firm.
6. The receipt of an Accountant or Clerk for any money paid by the contractor will not be considered as any acknowledgement of payment to the Executive Engineer and the contractor shall be responsible for seeing that he procures receipt signed by the Executive Engineer.

Contractor

Witness

Executive Engineer

- 7 The memorandum of work tendered for and the memorandum of materials to be supplied by Housing Board Haryana and their issue rates, shall be filled in and completed in the office of the Executive Engineer before the tender form is issued if a form is issued to an intending tenderer without having been so filled in and completed, he shall requested the office to have this done before he completes and delivers his tender.
- 8 The Executive Engineer shall have the right of rejecting all or any of the tender without assigning any reason.

Sd-
Divisional Accountant,
Housing Board Haryana,
Rohtak.

Sd-
Executive Engineer,
Housing Board Haryana,
Rohtak.

| <u>CONDITIONS OF CONTRACT</u> | |
|--|--|
| <p>Clause-1: The person/persons whose tender may be accepted (hereinafter called the persons Contractor) shall permit Board at the time of making any payment to him for work done under the contract to deduct security @ 10% from the running payments to be made on account of work done (with the earnest money deposited by him) subject to the maximum 5% of the agreement amount. Such deductions to be held by Board by way of security deposit. All compensation or other sums of money payable by the Contractor to Board under the terms of his contract may be deducted from the security deposit or from any sums which may be due or may become due to the Contractor by the Board on any account whatsoever and in the event of his security deposit being reduced by reason of any such deduction, the Contractor shall within ten days thereafter make good in cash or Board securities endorsed as aforesaid any sum or sums which may have been deducted from his security deposit or raised by sale of his securities deposit or any part thereof.</p> | <p>Security Deposit</p> |
| <p>Clause-2 : The time allowed for carrying out work as entered in the tender shall be strictly observed by the contractor and shall be reckoned from the date on which the order to commence work is given to the contractor. The work shall throughout stipulated period of the contract be proceeded with all due diligence (time being deemed to be the essence of the contract on part of the contractor) and the contractor shall pay as compensation an amount equal to 1% which the Executive Engineer may levy on the amount of the estimated cost of the whole work as shown by the tenderer for every day and the work remains un-commenced or unfinished, after the proper dates. And, further to ensure good progress during the execution of the work the contractor shall be bound, in all cases in which the time allowed for any work exceeds one month to complete one-fourth of the whole of the work before one-fourth of the whole time allowed under the contract has elapsed, one-half of the work before one-half of such time has been elapsed and 3/4 of the whole work before three-four of the whole time has elapsed and so on. In the event of the contractor failing to comply with this condition he shall be liable to pay as compensation an amount equal to 1% of the initial contract price per day which the Executive Engineer may levy on the said estimated cost as mentioned in the tender notice of the whole work for every day that the due quantity of the work remain incomplete provided always that the entire amount of compensation to be paid under the provision of this clause shall not exceeds 10 percent on the estimated cost of work as shown in the tender. The Chief Engineer may on representation from the contractor recommend reduction of the compensation with reason to be recorded in writing to the Chief Administrator whose decision shall be final.</p> | <p>Compensation for delay</p> |
| <p>Clause-3: In any case in which under any clause or clauses in this contract, the contractor shall have rendered himself liable to pay compensation amounting to the whole of his security deposit(whether paid in one sum or deducted by installments) the Executive Engineer on behalf of the Board shall have power to adopt any of the following courses, as he may deem best suited to the interest of Board:</p> | <p>Action when whole of security deposit is forfeited.</p> |

Contractor

Witness

Executive Engineer

| | |
|---|---|
| <p>(a) To rescind the contract (of which rescission notice in writing to the contractor under the hand of the Executive Engineer shall be conclusive evidence), and in which case the security deposit of the contractor shall stand forfeited, and be absolutely at the disposal of the Board.</p> | |
| <p>(b) To employ labour paid by the Housing Board Haryana and to supply material to carry out the work, or any part of the work debiting the contractor with the cost of the labour and the price of material (of the amount of which cost and price a certificate of the Executive Engineer shall be final and conclusive, against the contractor) and crediting him with the value of the work done, in all respect in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract, the certificate of the Executive Engineer as to the value of the work done shall be final and conclusive against the contractor.</p> | |
| <p>(c) To measure up the work of the contractor, and to take such part thereof as shall be unexecuted out his hands and to give to another contractor to complete, in which case any expenses which may be incurred in excess of the sum which would have been paid to the original contractor of the whole work had been executed by him (of the amount of which excess the certificate in writing of the Executive Engineer shall be final and conclusive), shall be borne and paid by the original contractor and may be deducted from any money due to him by Board under the contract or otherwise or from his security deposit or the proceeds of sale thereof or sufficient part thereof.</p> <p>In the event of any of the above courses being adopted by the Executive Engineer, the contractor shall have no claim to compensation for any loss sustained by reasons of his having purchased or procured any material or entered in any engagement or made any advances on account of or with a view to the execution of the work for the performance of the contract. And, in case the contract shall be rescinded under the provision aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof actually performed under this contract, unless and until the Executive Engineer will certify in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.</p> | |
| <p>Clause- 4 : In any case in which any power conferred upon the Executive Engineer by clause-3 hereof shall have become exercisable and the same shall not be exercised, the non exercise thereof shall not constitute a waiver of any of the conditions hereof and such powers shall not with standing be exercisable in the event of any future case of default by the contractor for which by any cause or clauses hereof his is declared liable to pay compensation amounting to the whole of his security deposit and the liability of the contractor for past and further compensation shall remain unaffected in the event of the Executive Engineer putting in force either or the powers(a) or (c) vested in him the preceding clause he may, if he so desire, take possession of all or any tools, materials and stores in or upon the works, or the site thereof or belonging to the contractor or procured by him and intended to be used for the execution of the work any part thereof, paying or allowing for the same contract rates or in case of these not being applicable at current market rates to be certified by the Executive Engineer may by notice in writing to the contractor or his clerk of the works, foreman or other authorized agent required him to remove such tools, plant and in the event of the contractor failing to comply with any such requisition the</p> | <p>Contractor remains liable to pay compensation if action not taken under clause 3.</p> <p>Power to take possession of or require removal of or sell contractor's plant.</p> |

Contractor

Witness

Executive Engineer

| | |
|---|--|
| <p>Executive Engineer may remove them at the contractor's expense or sell them by auction or private sale on account of the contractor and at his risk in all respects and the certificate of the Executive Engineer as to the expense for any such removal and the amount of proceeds and expense of any such sale shall be final and conclusive against the contractor.</p> | |
| <p>Clause-5: if the contractor shall desire an extension of the time for completion of the work on the ground of his having unavoidably hindrance in its execution or on any other ground, he shall apply in writing to the Executive Engineer with in 30 days of the due date of the hindrance on account of which he desires such extension as aforesaid and the Chief Engineer shall if in his opinion (which shall be final) responsible ground be shown such as non supply of material that are to be arranged by the Board as per contract or non making of required drawings available to the contractor for execution of works therefore authorized such extension of time, if any as may, in his opinion be necessary or proper. Extension in time limit would not be considered for non arrangement of material that is required to be arranged by the contractor</p> | <p>Extension of time.</p> |
| <p>Clause-6: The contractor shall deliver in the office of the Executive Engineer on or before the 10th day of every month during the continuance of the work covered by this contract a return showing details of any work claimed for as extra and such return shall also contain the value of such work as claimed by the contractor, which value shall be based upon the rates and prices mentioned in the contract in the schedule of rates in force. The contractor shall include in such monthly return particulars of all claims of whatever kind and however arising which at the date thereof he has or may claim to have against the Executive Engineer under or in respect of or in any manner arising out execution of the work and the contractor shall be deemed to have waived all claims not included in such return and will have no right to enforce any such claims not so included, whatsoever by the circumstances.</p> | <p>Contractor to submit a return every month on any works claimed as extra</p> |
| <p>Clause-7: Without prejudice to the rights of Board under any clause hereinafter contained on completion of the work, the contractor shall be furnished with a certificate by the Executive Engineer of such completion but no such certificate shall be given nor shall the work be considered to be complete until the contractor shall have removed from the premises on which the work shall be executed all scaffolding, surplus materials and rubbish and cleaned off the dirt from all wood work, walls, floors or other parts of any building in upon or about which the work is to be executed or of which he may have had possession for the purpose of the execution thereof and the measurements in the said certificate shall be binding and conclusive against the contractor if the contractor shall fail to comply with the requirements of this clause as to removal of scaffolding, surplus materials and rubbish and cleaning of dirt on or before the date fixed for the completion of the work, the Executive Engineer may at the expenses of the contractor remove such scaffolding, surplus materials and rubbish and dispose off the same as thinks fit and clean of such dirt as aforesaid and the contractor shall forthwith pay the amount of all expenses so incurred and shall have no claim in respect of any such scaffolding or surplus materials as aforesaid except for any sum actually realized by the sale thereof.</p> | <p>Final certificate</p> |

Contractor

Witness

Executive Engineer

| | |
|---|--|
| <p>Clause-8: No payments shall be made for works estimated to cost less than rupees one thousand till after the whole of the works shall have been completed and a certificate of completion given. But in the case of works estimated to cost more than rupees one thousand the contractor shall on submitting bill thereof be entitled to receive a monthly payment proportionate to the part thereof than approved and passed by the Executive Engineer whose certificate of such approval and passing of the sum so payable shall be final and conclusive against the contractor. But all such intermediate payments shall be regarded as payment by way of advance against the final payments only and not as payments for work actually done and completed and shall not preclude the requiring of bad, unsounded and imperfect or unskillful work to be removed and taken away and reconstructed or re-erected or be considered as an admission or the due performance of the contract, or any part thereof in any respect or the occurring of any claim nor shall it conclude determine or effect in any way the power of Executive Engineer under the terms, conditions or any of them as to the final settlement and adjustment of the accounts or otherwise or in any other way vary of affect the contract. The final bill shall be submitted by the contractor within one month of the date fixed for completion of the work, otherwise the Executive Engineer certificate of the measurement and of the total amount payable for the work accordingly shall be final and binding on all parties.</p> | <p>Payment on intermediate certificate to be regarded as advance</p> |
| <p>Clause-9: A bill shall be submitted by the contractor each month on or before the date fixed by the Executive Engineer for all work executed in the previous month and the Executive Engineer shall take or cause to be taken the requisite measurement for the purpose of having the same verified and the claim and for as admissible adjusted if possible before the expiry of ten days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid the Executive Engineer may depute a subordinate to measure up the said work in the presence of the contractor, whose countersignature to the measurement list will be sufficient warrant and the Executive Engineer may prepare a bill from such list which shall be binding on the contractor in all respects.</p> | <p>Bills to be submitted monthly</p> |
| <p>Clause-10: The contractor shall submit all bills on printed forms to be had on application at the office of the Executive Engineer and the charge in the bill shall always be entered at the rate specified in the tender or in the case of any extra work, ordered in pursuance of these conditions and not mentioned or provided for in the tender at the rates hereafter provided for such work.</p> | <p>Bills to be on printed form</p> |
| <p>Clause-11: If the specification of estimate of the work provides for the use of any special description of materials to be supplied from the Executive Engineer's store or if it required that the contractor shall use certain stores to be provided by the Executive Engineer (such materials and stores and the prices to be charged therefore as hereinafter mentioned being so far as practicable for the convenience of the contractor but not so in any way to control the meaning or effect of this control specified in the schedule or memorandum hereto annexed) the contractor shall be supplied with such materials and stores required from time to time to be used by him for the purpose of the contract only and the value of the full quantity of materials and stores so supplied the rates specified in the said schedule or memorandum may be set of so deducted from any sums then due or thereafter so become due to the contractor under the contract or otherwise</p> | |

Contractor

Witness

Executive Engineer

| | |
|--|---|
| <p>against for from the security deposit. All material supplied to the contractor shall remain the property of the contractor but shall not on any account be removed from the site of the work without the written permission of Executive Engineer and shall at time be opened to inspection by him. Any such materials unused and in perfectly good condition at the time of the completion of the contract shall be returned to the Executive Engineer's store, if by a notice in writing under his hand he shall so require but the contractor shall not be entitled to return any such material unless with such consent and shall have no claims for compensation on account of any such materials so supplied to him as aforesaid being unused by him, or for any wastage in or damage to any such materials.</p> | |
| <p>Clause-12: The contractor shall execute the whole and every part of the work in the most substantial and workman like manner and both as regards materials and otherwise in every respect in strict accordance with the specification. The contract shall also conform exactly, fully and faithfully to the designs, drawings and instructions in writing relating to the work signed by the Executive Engineer and lodged in the office and to which the contractor shall be entitled to have access at such office or on the site of the work for the purpose of inspection during office hours and the contractor shall if he so require be entitled at his own expense to make of cause to be made copies of the specification and of all such designs, drawings and instructions as aforesaid.</p> | <p>Works to be executed in accordance with specifications , drawings, orders etc.</p> |
| <p>Clause-13: The Executive Engineer shall have full powers at all time to object to the employment of any workman foreman or other employees on the work by the contractor and if the contractor shall receive notice in writing from the Executive Engineer requesting the removal of and such man or men from the work the contractor to comply with the request forth with. No such workman foreman or other employee after his removal from the works by request of the Executive Engineer shall be re-employed or reinstated on the works by the contractor at any time except with the previous approval in writing of the Executive Engineer. The contractor shall not be entitled to demand the reason from the Executive Engineer for requiring the removal of any such workman, foreman or other employee.</p> | <p>Removal of employed work men and foremen.</p> |
| <p>Clause-14: The Executive Engineer shall have power to make any alterations in or omission from additions to or substitutions for the original specifications, drawings, designs, and instructions that may appeal to him to be necessary or advisable during the progress of the work and the contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Executive Engineer and such alterations, additions or substitutions shall not invalidate the contract and any altered additional or substituted work which the contractor may be directed to do in the manner above specified as part of the work shall be carried out by the contractor on same conditions in all respects on which he agreed to do the main work and at the same rates as specified in the tender for main work. The time for the completion of the work shall be extended in proportion that the altered additional or substituted work bears to the original contract. And if the certificate of Executive Engineer shall conclusive as to such proportion. And if the altered additional or substituted work includes any class of work for which no rate is specified in the contract then such class of work shall be carried out at the rates entered in the Haryana PWD Schedule of rates-1988 of the district, subject to the same percentage above or below as included in the</p> | <p>Alternation in specification & designs</p> <p>Do not invalidate contracts</p> <p>Extension of time of time in consequence of alterations</p> |

Contractor

Witness

Executive Engineer

| | |
|--|--|
| <p>contract and if such class of work is not entered in the Haryana PWD Schedule of rates 1988 of the district then the contractor shall within seven days of the date of receipt of his order to carry out the work inform the Executive Engineer of the rate which in his intention to charge for such class of work and if the Executive Engineer does not agree to his rate he shall by notice in writing be at liberty to cancel his order to carry out such class of work and arrange to carry it out in such manner as he may consider advisable, provided always that if the contract shall commence work or incur any expenditure in regard there to before the rate shall have been determined lastly hereinbefore mentioned then and in such case he shall be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of the determination of the rate aforesaid according to such rate or rates as shall be fixed by Executive Engineer and the decision of the Chief Engineer shall be final.</p> | <p>Rates for works not in estimate or schedule of rate of the district.</p> |
| <p>Clause-15: If any time after the commencement of the work, the Board shall for any reason whatsoever not require the whole work thereof as specified in the tender to be carried out the Executive Engineer shall give notice in writing of the fact to the contract who shall have no claim to any payment or compensation whatsoever on account of any profit or advantage which he might have derived from execution of the work in full that which he did not derive in consequence of the full amount of work not having been carried out neither shall he has any claim for compensation by reason of any alteration having been made in the original specification drawings, designs and instruction which shall involve any curtailment of the work originally contemplated.</p> | <p>No compensation for alternation or restriction of work to be carried out.</p> |
| <p>Clause-16: If it shall appear to the Executive Engineer or his subordinate-in-charge of the work that any work has been executed with unsound imperfect or unskillful workmanship or with materials of any inferior description or that any materials or articles provided by him for the execution of the work are unsound, or of a quality inferior to that Executive Engineer specifying the work materials or articles complained of not withstanding that the same may have been inadvertently passed, certified and paid for, forthwith rectify or remove and reconstruct the work so specified whole or in part as the case may required, or as the case may be, removed the material or article so specified and provide other, proper and suitable materials or articles at his own proper charge and cost, in the event of his failing to do so within a period to be specified by the Executive Engineer in his demand aforesaid then the contractor shall be liable to pay compensation at the rate of one percent on the amount of the estimate for every day not exceeding ten days while his failure to do so shall continue and in the case of any such failure the Executive Engineer may rectify or remove and re-execute the work or remove and replace other materials or articles complained of as the case may be, at the risk and expense in all respect of the contractor.</p> | <p>Action & compensation payable in case of bad work.</p> |
| <p>Clause-17 : All work under or in course or executed in pursuance of the contract shall at all times be open to the inspection and the supervision of the Executive Engineer and his subordinate and the contractor shall at all times during the usual working hours and at all other times at which reasonable notice of intention of the Executive Engineer or his subordinate to visit the works shall have been given to the contractor either himself be present to receive orders and instruction or have a responsible agent duly accredited in writing present for the purpose. Orders given to the</p> | <p>Works to be open to inspection Contractor or responsible Agent to be</p> |

Contractor

Witness

Executive Engineer

| | |
|--|--|
| <p>contractor's agent shall be considered to have the same forces as if they had been given to contract himself.</p> | <p>present</p> |
| <p>Clause-18 : The contractor shall give not less than five day's notice in writing to the Executive Engineer or his subordinate-in-charge of the work before covering up or otherwise placing beyond the reach of measurement any work in order that same may be measured and correct dimensions there of be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up or place beyond the reach of measurement and work without the consent in writing of the Executive Engineer or his subordinate-in-charge of the work and if any work shall be covered up or placed beyond the reach of measurement such notice having been given or consent obtained the same shall be uncovered at the contractor's expense, or in default thereof no payment or allowance shall be made for such work or the materials with which the same is executed.</p> | <p>Notice to be given before work is commenced</p> |
| <p>Clause-19 : If the contractor or his work people or servants shall break deface, injure or destroy any part of a building, if they may be working on any building, road fence enclosure or grass land cultivated ground contiguous to the premises on which the work or any part of it is being executed or if any damage shall happen, to the work while in progress, from any cause whatever or any imperfections become apparent in it within one year after a final certificate of its completion have been given by the Executive Engineer as aforesaid, the contractor shall make the same good at his own expense, or in default, the Executive Engineer may cause the same to be made good by other workman and deduct expense (of which the certificate of the Executive Engineer shall be final) from any sums that may be then, or at any time thereafter may become due to contractor, or from his security deposit. The warranty liability period of the contractor shall be one year from the date of completion of work.</p> | <p>Contractor liable for damage done and for imperfections to months after certificate</p> |
| <p>Clause-20 : The contractor shall supply at his own cost all materials except such special materials if as may in accordance with the contract be supplied from the Executive Engineer stores, plants tools, appliance, implements, ladders cordage tackle scaffolding and temporary work requisites of proper for the proper execution of the work, whether original, altered or substituted and whether included in the specification or other documents forming part of the contract or referred to in these conditions or not, or which may be necessary for the purpose of satisfying or complying with the requirements of the Executive Engineer as to any matter to which under these conditions he is entitled to be satisfied or which he is entitled to require with carriage thereof to and from the work. The contractor shall also supply without charge the requisite number of the persons with the means and materials necessary for the purpose of setting out works and counting weighing and assisting in the measurement or examination at any time and from time to time of the work of materials failing his so doing the same may be provided by Executive Engineer at the expense of the contractor shall also provided all necessary fencing and lights required to protect the public from accidents and shall be bound to bear expenses of difference of every suit action or other proceedings at law that may be brought by any person for injury sustained owing to neglect of the above precautions and to pay damages and cost which may be awarded in any such suit action or proceedings to any such persons or which may with consent of the contractor be paid to compromise any claim by any such person.</p> | <p>Contractor to supply plant, ladder, scaffolding etc.</p> <p>And be liable for damage, arising from non-provision of light, fencing etc.</p> |

Contractor

Witness

Executive Engineer

| | |
|--|--|
| <p>Clause-21: No female labourer shall be employed within the limits of a cantonment.</p> | <p>Female labour</p> |
| <p>Clause-22: No labourer below the age 18 years shall be employed on the work.</p> | |
| <p>Clause-23: The contractor will have to pay not less than the minimum wages fixed by the appropriate Govt. as per provision of the act to the labour.</p> | |
| <p>Clause-24: No work shall be done on Sunday without the sanction in writing of the Executive Engineer.</p> | <p>Work on Sundays</p> |
| <p>Clause-25: In every case in which by virtue of the provisions of section 12 sub-section (1) of workmen's compensation Act, 1923, Board is obliged to pay compensation to a workman employed by the contractor in execution of work Board will recover from the contractor the amount of compensation so paid and without prejudice to right to Board under section 12, sub-section (2) of the said Act. Board shall be at liberty to recover such amount or any part thereof by deduction it from the security deposit or from any sum due by Board to the contractors whether under their contract or otherwise. Board shall not be bound to contest any claim made against it under Section 12, sub-section (i) of the said act except on the written request of the contract and upon his giving to Board full security for all costs for which Board might become liable in consequence of contesting claim.</p> | <p>Contractor liable for payment of compensation to injured workman or in case of death to his relation.</p> |
| <p>Clause-26: The contract shall not be assigned or sublet without the written approval of the Executive Engineer and if the contractor shall assign or sublet his contract or attempt so to do or become insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt so to do or if any bribe, gratuity, gift, loan, perquisite, reward or advantage pecuniary or otherwise shall either directly or indirectly be given promised or offered by the contractor or any of his servants or agents to any public officer or person in the employ of the Board in any way relating to his office or employment if any such officer or person shall become in any way directly or indirectly interested in the contract, the Executive Engineer may thereupon by notice in writing rescind the contract and the security deposit of the contractor shall thereupon stand forfeited and be absolutely at the disposal of the Board and same consequence shall ensure as the contract had been rescinded under clause-3 hereof and in addition the contractor shall not be entitled to recover or be paid for any work, therefore actually performed under the contract.</p> | <p>Work not be sublet. Contract may be rescinded & security deposit forfeited for subletting bribing or if contractor become insolvent.</p> |
| <p>Clause-27: All sums payable by way of compensation under any of these conditions shall be considered as reasonable compensation to be applied to the use of Board without reference to the actual loss or damages sustained and whether or not any damages shall have been sustained.</p> | <p>Sum payable by way of compensation to be considered as reasonable</p> |
| <p>Clause-28: The contractor shall be debarred from claiming any amount of compensation/damages on account of reduced profitability.</p> | <p>Compensation with out reference to actual loss.</p> |

Contractor

Witness

Executive Engineer

| | |
|--|--|
| <p>Clause-29: Any excess payment made to the contractor inadvertently or otherwise under this contract or any account whatever and any other sum found to be due to Board by the contractor in respect of his contract or any other contract or work order or on any account whatever, may be deducted from any sum whatsoever payable by Board to the contractor either in respect of this contract or any order or contract or any other account by any other department of the Government/Board/Corporations.</p> | <p>Deductions of amount due to Government on any account whatsoever to be permissible from sums payable to a contractor.</p> |
| <p>Clause-30: In case of any firm/contractor make changes in the constitution of the firm/partnership then the same shall be forthwith notified by the firm/contractor to the Executive Engineer for his information.</p> | <p>Change in constitution of firm</p> |
| <p>Clause-31: All work to be executed under the contract shall be executed under the directions of and subject to the approval in all respect of the Executive Engineer or the Board for the time being who shall be entitled to direct at what point or points and in what manner they are to be commenced and from time to time carried on.</p> | <p>Works to be under direction of Executive Engineer</p> |
| <p>Clause-32: No claim for payment of an extraordinary nature, such as claims for a bonus for an extra labour employed in completing the work before the expiry of the contractual period at the request of the Executive Engineer or claim for compensation where work has been temporarily brought to standstill though no fault of the contractor shall be allowed unless and to the extent that the same shall have been expressly sanctioned by the Board.</p> | <p>Claim for payments of extraordinary nature to be referred to Board for decision.</p> |
| <p>Clause-33: If any dispute or difference of any kind whatsoever shall arise between the Housing Board Haryana or its authorized agent and the contract in connection with or arising out of the contract or the execution of the work that is (i) whether before its commencement or during the progress of the work or after its completion, (ii) and whether before or after the termination abandonment or breach of the contract it shall in the first instance be referred to for being settled by the Executive Engineer of the work at the time and he shall within a period of sixty days after being requested in writing by the contractor to do so convey his decision to the contractor and subject to arbitration as hereinafter provided such decision in respect of every matter so referred shall be final and binding upon the contractor. In case the work is already in progress the contractor will proceed with the execution the work on receipt of the decision by the Executive Engineer as aforesaid with all due diligence whether he or the Housing Board Haryana/its authorized agent requires arbitration as hereinafter provided or not. If the Executive Engineer of the work has conveyed his decision to the contractor and no claim to arbitration has been filed with him by the contractor within a period of sixty days from the receipt of letter communicating the decision, the said decision shall be final and binding upon the contractor and will not be a subject matter or arbitration at all. If the Executive Engineer of the work fails to convey his decision within a period of sixty days after being requested as aforesaid the contractor may within further sixty days of the expiry of first sixty days from the date on which request has been made to the Executive Engineer request the Chief Administrator HBH that the matter in dispute be referred to arbitration as hereinafter provided.</p> <p>(2) All disputes or differences in respect of which the decision is not final and conclusive shall at the request in writing of either party, made in a communication sent through Registered A.D. post be referred to</p> | <p>Arbitration clause</p> |

Contractor

Witness

Executive Engineer

| | |
|---|--|
| <p>the sole Arbitrator to be nominated by the Chief Administrator from amongst officers who will be either.</p> <p>i) A serving Superintending Engineer or Chief Engineer of the Housing Board, or Haryana PWD B&R Branch Or</p> | |
| <p>ii) A retired Superintending Engineer, Chief Engineer or an Engineer-in-Chief of the Housing Board Haryana PWD B&R or any the person to be selected out of panel of Arbitrator approved by the Chief Administrator.</p> <p>iii) It will be no objection to any such as appointment that the Arbitrator so appointed is a Housing Board Employee / Government servant or that he had to deal with the matters to which the contract relates and that in the course of his duties as a Housing Board Employee/Government servant he had expressed his views on all or any of the matters in dispute. The Arbitrator to whom the matter is originally referred being transferred or vacating his office his successor in office as such shall be entitled to proceed with the reference from the stage at which it was left by his predecessor.</p> <p>In case the Arbitrator nominated by the Chief Administrator Housing Board Haryana is unable or unwilling to act as such for any reason whatsoever, the Chief Administrator shall be competent to appoint and nominate any other Superintending Engineer or Chief Engineer as the case may be as Arbitrator in his place and the Arbitrator so appointed shall be entitled to proceed with the reference.</p> <p>(3) It is also a term of this arbitration agreement that no person other than a person appointed by the Chief Administrator Housing Board Haryana Panchkula shall act as Arbitrator and if for any reason that is not possible, the matter shall not be referred to arbitration at all. In all cases the Arbitrator shall give reasons for his award in respect of each claim and counter claim separately.</p> <p>(4) The Arbitrator shall award separately giving his award against each claim and dispute raised by either party including any counter-claims individually and that any lump-sum award shall not be legally enforceable.</p> <p>(5) The following matter shall not lie within the purview of arbitration.</p> <p>(a) Any dispute relating to the levy of compensation as liquidated damages which has already been referred to the Superintending Engineer/Chief Engineer and is being heard or has been finally decided by the Superintending Engineer/Chief Engineer of the work.</p> <p>(b) Any dispute in respect of substituted, altered, additional work/omitted work/defective work referred by the contractor for the decision of the Chief Engineer, HBH or if it is being heard or has already been decided/heard by the said Chief Engineer. Any dispute regarding the scope of the work or its execution or suspension or abandonment that has been referred by the contractor for the decision of the Housing Board Haryana has been so decided finally by the Housing Board Haryana.</p> <p>(6) The independent claims of the party other than the one getting the Arbitrator appointed, and the counter-claims of any party will be entertained by the Arbitrator notwithstanding that the Arbitrator had been appointed at the instance of the other party.</p> | |
| <p>(7) It is also a term of this arbitration agreement that where the party invoking arbitration is the contractor, no reference for Arbitrator shall</p> | |

Contractor

Witness

Executive Engineer

be maintainable unless the contractor furnishes to the satisfaction of the Executive Engineer of the work, a security deposit of a sum determined according to details given below and the sum so deposited shall, on the termination of the arbitration proceedings, be adjusted against the cost, if any, awarded by the Arbitrator against the claimant party and the balance remaining after such adjustment, in the absence of any such cost being awarded the whole of the sum will be refunded to him within one month from the date of the award :

| Sr. No. | Amount Claims | Rate of Security Deposit |
|---------|---|--------------------------|
| i) | For Claims below Rs. 10,000/- | 2% of amount claimed |
| ii) | For claims of Rs.10,000/-& above but below Rs. 1,00,000/- | 5% of amount claimed |
| iii) | For claims of Rs. 1,00,000/- and above | 7.5% of amount claimed |

The stamp-fee due on the award shall be payable by the party as decided by the Arbitrator and in the event of such party's default the stamp-fee shall be recoverable from any other sum due to such party under this or any other contract.

(8) The venue of arbitration shall be such place or places as may be fixed by the arbitrator in his sole discretion. The work under the contract shall continue during the arbitration proceedings.

(9) Neither party shall be entitled to bring a claim for arbitration if the appointment of such Arbitrator has not been applied within 6 months ;
OR

(a) from the date of completion of the work as certified by Executive Engineer.
OR

(b) from the date of abandonment of the work.
OR

(c) of its non commencement within 6 months from the date of abandonment, Or written orders to commence the work as applicable.
Or

(d) from the completion of the work through any alternative agency or means after withdrawal of the work from the contractor in whole or in part and /or its decision. Or

(e) of receiving the intimation from the Executive Engineer of the work that final payment due to or recovery from the contractor had been determined which he may acknowledge and / or receive.

Which of (a) to (e) above is the latest?

If the matter is not referred to arbitration within the period prescribed above, all the rights and claims of any part under the contract shall be deemed to have been forfeited and absolutely barred by time even for civil litigation notwithstanding.

10) It is also a term of this arbitration agreement that no question relating to this contract shall be brought before any civil court first involving and completing the arbitration proceedings as above, if the scope of the arbitration specified herein covers issues that can be

| | |
|---|---------------------------------------|
| <p>brought before the arbitrator, i.e., any matter that can be referred to arbitration shall not be brought before a Civil Court. The pendency of arbitration proceedings shall not disentitle the Government to terminate the contract and make alternative arrangement for the completion of the work.</p> <p>11) The Arbitrator shall be deemed to have entered on the reference on the day he issue notices to the parties fixing the first date of hearing. The Arbitrator may from time to time with the consent of the parties enlarge the initial time for making and publishing the award.</p> <p>12) It is also a term of this arbitration agreement that subject to the stipulation herein mentioned the arbitration proceedings should be conducted in accordance with the provisions of the Arbitration Act, 1996 or any other law in force for the time being.</p> <p>(13) In case of dispute, if any, of the party intends to go for in arbitration the expenses concerning to the arbitration proceedings such as fee of the Arbitrator, if necessary stamp paper for award and all the expenses concerning to the traveling allowances of witnesses, stationery or any other charges concerning to the arbitration case shall be borne by the party going in for the arbitration. The arbitration fee and other charges payable to arbitrator shall be as given below: For the works upto any amount, the fee of sole Arbitrator is payable Rs.10,000/- per hearing subject to Rs.60,000/- maximum for whole proceedings.</p> <p>Note: In case Arbitrator is appointed through Hon'ble High Court or any other court than the fee will be paid to the Arbitrator as per directions/norms of the court.</p> <p>14) If the matter is not referred to Arbitrator within the specified period, all the rights/claims under the contract shall be deemed to have been forfeited and absolutely time barred. The Arbitrator shall give a speaking award otherwise the award shall be null & void and will not be binding on the parties.</p> | |
| <p>Clause-34: No alteration in the contract rate shall be admissible in consequence of fluctuation in railway freight when such railway freight is on account of material which is required by a contractor in the manufacture of an article to be supplied under this contract, e.g., fluctuation of railway freight on coal required for burning bricks will not be taken into consideration, or for an article which forms parts of a finished work for purposes of this clause. Similarly no alteration in rates will be allowed when a manufactured article is transferred by rail from place A to B to form part of a finished work.</p> | <p>Fluctuation in Railway freight</p> |
| <p>Clause-35 : When the estimate on which a tender is made includes lump-sum in respect of part of the work, the contractor shall be entitled to payment in respect of the items of work involved or the part of the work in question at the same rate as are payable under this contract for such items, or if the part of the work in question is not in the opinion of the Executive Engineer capable of measurement, the Executive Engineer may at his discretion pay the lump-sum amount entered in the estimate and the certificate in writing of the Executive Engineer shall be final and conclusive against the contractor with regard to any sum or sums payable to him under the provisions of this clause.</p> | <p>Lump sum Estimate</p> |

Contractor

Witness

Executive Engineer

| | |
|---|-------------------------------|
| Clause-36: In the case of any class of work for which there is no such specification as is mentioned in (Rule-1), such work shall be carried out in accordance with the Haryana PWD Specification-1990 as and in the event of there being no distinct specification then in such case the work shall be carried out in all respect in accordance with the instructions and requirements of the Executive Engineer. | Action where no specification |
| Clause-37 : The expression “works” or “work” where used in these conditions shall unless there be something either in the subject or context repugnant to such construction be constructed and taken to mean the works by or by virtue of the contract contracted to be executed whether temporary or permanent and whether original altered substitute or additional. | Definition on work |
| Clause-38: The contractor shall be responsible for Housing Sanitation and medical treatment of labour employed on the work and shall abide by all the rules and regulations on the subject. | |
| Clause-39: The percentage referred to at page 6 of the tender will be calculated on the gross amount value of finished work including cost of materials whether purchased from the Board or direct of (1) the item of work to which the rates in the tender apply and also (2) the apply items of work for which the rates exist in the schedule of rates. | |
| Clause-40: The terms and conditions of the agreement have been explained to me/us and I/we clearly understand them. | |
| Clause-41: Unless otherwise provided for in the contract the term “Executive Engineer” referred to in this tender and contract for the means “Executive Engineer, Housing Board Haryana, Rohtak. | |

Contractor

Witness

Executive Engineer

SCHEDULE OF MATERIAL TO BE ISSUED BY THE DEPARTMENT

WORK OF CONSTRUCTION OF 176 NOS. GF/STILTS PLUS THREE STOREYED EWS FLATS, GR.I INCLUDING INTERNAL PH & EI SERVICES IN SECTOR-8 AT CHARKHI DADRI.

The following material will be issued by the Board to the Contractor at the rates noted below each material plus 3% (Three percent) storage charges from Housing Board's store/Godown or any other Godown hired by the Board at _____ for use on aforesaid work.

| Sr No | Description of Material | Unit | Rates | Remarks |
|-------|---|----------|--|--|
| 1. | Ordinary Portland Cement / P P C packed gunny bags / HDPE bags including cost of empty cement bags. Per bag of 50kg denomination including the cost of container. | Each Bag | Rs.225.00 plus 3% (Three percent) storage charges | In case the ceiling premium has been revised during the period of approval of DNIT and receipt of tender, the recovery will be made at the rates mentioned in the new ceiling premium list and the tender amount will be worked out on the basis of revised issue rates. |
| 2. | Mild Steel / Tor Steel of all dias. / Fe- 500 EQR TMT | Per MT | Rs 45500/- plus 3% (Three percent) storage charges | |

- 1 The contractor shall be responsible for loss or damage to any material such as cement, steel, tiles issued to him by the Board from any cause whatsoever. In case of material is not utilized for the purpose for which it is issued and is otherwise disposed of by him or spoiled or lost or allowed to get deteriorated, the cost of such quantity of that material shall without prejudice to other rights and remedies available to the Board be recoverable from the contractor at Board's actual purchase rate or the current market rate, whichever is higher.
- 2 The recovery from contractor for the material consumed in excess or in short of the theoretical requirements as per specification/Haryana PWD. Schedule of Rate 1988 herein stipulated or otherwise fixed by the Executive Engineer other than the variation to be regulated by the proceedings Para-2 shall be dealt with as under:
 - i) Excessive consumption of material up to 5% (Five percent) of theoretical consumption.
Recovery will be made from contractor at the issue/recovery rate plus three percent storage charges provided in the contract.
 - ii) Excessive consumption of material more than 5% (Five percent) of theoretical consumption
If actual consumption exceeds the theoretical consumption by more than 5% then the recovery shall be made for the excessive consumption of material beyond initial 5% at double the issue/recovery rate plus three percent storage charges provided in the contract.
 - iii) Short consumption of material up to 5% (Five percent) of theoretical consumption
The recovery of cost of material saved would be made from the contract at the Board's at the issue/recovery rate plus three percent storage charges provided in the contract.

Contractor

Witness

Executive Engineer

- iv) Short consumption of material more than 5% (Five percent) of theoretical consumption.

In case it is not possible to determine the exact item on which less material has been used, the cost of material shall be recovered from the contractor beyond initial 5% at double the Board's issue/recovery rate plus 3% storage charges. In case it is possible to determine the exact item on which less material has been used it shall be at the discretion of the Board either to reduce the rates of the items of work involved or to reject such item/work where it is felt that the structural of the building has been adversely affected. The decision of the Chief Engineer, Housing Board Haryana shall be final.

4. In case of cement issued by the Board the net weight of 50kg denomination per bag shall be considered and not the actual weight after losses in handling.
5. A cement register in prescribed form showing day to day receipt/consumption and balance of cement at each work site will be maintained by the HBH, which shall invariably be signed daily by the contractor or his authorized representative in token of its correctness.

Sd-
Divisional Accountant,
Housing Board Haryana,
Rohtak.

Sd-
Executive Engineer,
Housing Board Haryana,
Rohtak.

LIST OF APPROVED MAKE OF VARIOUS ITEMS

| S.No | Items | Make |
|--------------------------------|---|---|
| 1. | ISI marked PVC pipe & special for Rain water | Prince, Finolex, Supreme & Atul |
| 2. | ISI marked UPVC Sanitary Pipe, SWR grade & special | Prince, Finolex, Supreme, Atul, APL Apollo |
| 3. | G.I. Pipe (ISI marked) | Tata, Jindal (Hissar) |
| 4. | G.I. Pipe fittings / special | Unik, U,SVW, NVR |
| 5. | C.P. Fittings | Essco, ,Nova, Cera,Excel |
| 6. | ISI marked Chinaware, Wash basin & W.C. | Perryware, Hindware, Cera |
| 7. | Seat Cover, ISI marked or of the same brand of which W.C seat will be provided. | Comander, Cera, Duralite |
| 8. | PVC Cistern 7.5 liter capacity (two lever cistern) | Perryware, Hindware, Cera |
| 9. | ISI marked Stainless Steel Sink with CP waste | Nirali, Neelkanth, Jayana, Lotus |
| 10. | Aluminium Door / Window Fittings, ISI marked | Nulite, Crown, Classic |
| 11. | Aluminium section for door and window frames and shutter | Jindal, Hindalco |
| 12. | Hard wood for chowkhats and shutter | Red merrendy, Sal |
| 11 | Paint 1 st Quality | Nerolac, Berger, Asian |
| 12 | Acrylic paint | Asian, Berger, Nerolac |
| 13 | Washable Oil Bound Distemper | Berger , Asian, Nerolac |
| 14 | Pressed Steel Chowkhat | All BIS approved |
| 15 | ISI marked Flush Door Shutter | Minimax, Haryana Ply Wood, Swastic Ply Board Ltd, Jaipur. |
| 16 | LLDPE Storage Tank ISI marked | Atul, Sintex, Diplast |
| 17 | Ceramics glazed floor & wall tiles | Kajaria, Somany, orient. |
| 18 | Vitrified tile (premium quality) | Kajaria, Somany, orient. |
| 19 | Iron hinges | Maruti, Ashish, Garg |
| 20 | Glass | Saint gobain, modiguard, AIS (Asahi float glass) |
| <u>ELECTRICAL ITEMS</u> | | |
| 1. | ISI marked Rigid PVC pipe & Accessories (Medium quality) | Diplast, Precision, Polycab, Polypak |
| 2. | ISI marked Cable with copper conductor with fire retarded insulation | Polycab, Havells, Delton |
| 3. | ISI marked Piano type switches | Anchor, SSK, Havells |
| 4. | ISI marked Batten holder, Ceiling Rose, Bell | Anchor, SSK, Havells |
| 5. | ISI marked ACB, MCBs & MCCB, enclosures & ELCBs, VCB, Relay etc | Havells, North West |
| 6. | PVC junction box | ISI marked |
| 7. | Bakelite Sheets ISI marked | V-Hylam, Super Hylam, |
| 8. | G I pipe B class for earthing | Tata, Jindal (Hissar) |
| 9. | T.V and telephone cable | Delton, Phinolex, Havells |

NOTE

- In respect of materials for which approved makes are not specified above, the same shall be decided by the Chief Engineer, HBH and shall be as per sample got approved from Chief Engineer before procurement. The Contractor shall submit samples of all such materials 3 month before the date of start of such work for approval from the Chief Engineer, HBH.
- The Contractor shall produce samples before procurement of the material for approval for all materials required for works. Samples can be submitted for any of the above makes and they shall confirm to specifications. Samples as approved by the Chief Engineer, HBH shall only be used on the works and the decision of the Chief Engineer, HBH regarding make of material shall be final. Only ISI marked will be allowed to use on works.
- UPVC specials will be used either of ISI marked or of the same brand of which UPVC pipe will be provided.
- In case material bearing BIS/ISI certification mark are not available, the quality of material shall be judged by standard laid down in the relevant BIS/ISI specification for which make/brand shall be got approved from Chief Engineer, Housing Board Haryana.

Contractor

Witness

Executive Engineer

TECHNICAL CONDITIONS AND IMPORTANT SPECIFICATIONS

- 1 **Principles of design of concrete mix.**
 - i) The design of concrete mix shall be based on latest PWD specifications/HSR-1988.
 - ii) The concrete mix shall be designed for the specified target mean compressive strength in order to ensure that the work-tests results do not fall below the acceptance criteria specified for the concrete mix.
 - iii) Grades of concrete mix stipulated design criteria.
 - iv) The reinforced cement concrete work shall be executed using concrete mix of grade as specified in the nomenclature of the item of work. The various grades of concrete shall be designed for the strength criteria and other parameters.
 - v) In the designation of a grade of concrete mix, the letter 'M' stands for mix and the number represents the characteristic compressive strength (fck) of 15 centimeter cube at 28 days expressed in Newton per square millimeter, i.e., N/mm².
 - vi) A grade of concrete mix shall be designed and tested for a specified target mean compressive strength.
 - vii) The contractor shall exercise very good quality control over site conditions for production of controlled concrete by employing automatic weigh batching of all materials grading of aggregate, determination of moisture contents and control of water-cement ratio frequent supervision and regular workability, strength tests and maintaining adequate field laboratory facilities to maintain the specified quality of concrete consistently.

- 2 **Materials**

Cement aggregate and water shall in general conform to provision of PWD specifications 1990 and IS 456 -2003 read with up to date correction slips

- 3 **Mix Design of concrete**
 - i) The contractor shall engage one of the following approved laboratories/test houses for designing the concrete mix in accordance with relevant I S codes and to conduct laboratory tests to ensure the target strength and workability criteria for a given grade of concrete
 - (a) I.I.T., Delhi.
 - (b) National Council for Cement and Building Materials, Ballabgharh.
 - (c) CRRI, Delhi
 - (d) NIT Kurukeshetra,
 - (e) PEC Chandigarh.

If all the above laboratories express in writing their inability to carry out the designing and testing of concrete mixes by a specified date, the contractor may be allowed to engage any other Govt approved laboratory with prior approval of the Engineer-in-Charge.
 - ii) The source and quality of all ingredients of a concrete mix shall be got approved from the Engineer-in-Charge before designing the mixes and their testing and the same shall be maintained during the execution of the work as well.
 - iii) Any change in source or characteristics of any ingredient used in the concrete mix during the work execution shall require revised mix design and laboratory testing as per direction of the Engineer-in-

Charge and no further concrete work shall be proceeded without approval of the revised design mix.

- iv) All cost and charges of designing the concrete mix and its testing by approved laboratories including the redesigning of the concrete mix, whenever required and directed by the Engineer-in-Charge shall be borne by the contractor and nothing extra shall be payable over the quoted rates.

4 **Production of Design Mix Concrete**

- i) Tenderer will have to provide computerized weigh batcher 1 No. (3 bag capacity minimum) conforming to IS code and of required capacity to be used for the production of design mix concrete where specified with all required accessories. In case this weigh batcher is not sufficient at site due to heavy foundations or otherwise, computerized Concrete Batching Plant of bigger capacity will have to be installed.
- ii) The mixers shall be free fall tilting type conforming to latest IS code.
- iii) All measuring equipment shall be maintained in a clean and serviceable condition and their accuracy shall be checked at least once a month.
- iv) Only single sized good quality stone aggregate shall be brought to site of work from the approved source. The grading of the stone aggregate shall be controlled by blending the aggregate of different sizes in the required proportions at site of work.
- v) The aggregate of different sizes shall be stockpiled separately preferably a day before use.
- vi) The grading of coarse and fine aggregates shall be checked as frequently as possible and as directed by the Engineer-in-Charge to ensure that the specified grading and quality of aggregate is maintained.
- vii) It is important to maintain the water cement ratio constant at its specified or approved value.
- viii) All other operations involved in concrete work like laying, placing, compaction and curing etc. shall be done as per PWD specifications 1990 and I.S. 456-2003 with up to date correction slips.

5 **Sampling and strength of work test of concrete**

Sampling

- i) Samples from fresh concrete shall be taken and the test cubes shall be made cured and tested in accordance with relevant IS code.
- ii) Each test sample shall comprise of six test cubes (specimen), three of which shall be tested at 7 days and remaining of tests at 28 days
- iii) A random sampling procedure shall be adopted to ensure that the sampling is spread over the entire period of concreting and cover all mixing units.
- iv) At least one test sample shall be taken on the day of completing

- v) Each grade of concrete shall require different testing

Test strength of a sample

- vi) The test strength of the sample shall be taken as the average of the strength of its three specimens. The individual variation between the three specimens should not be more than ± 15 percent of the average test results of the sample.
- vii) If individual variation in strength of three specimens is more than ± 15 percent of average, the test results of the sample shall be invalid.
- viii) 50% of the total tests shall be done at the field laboratory established at the site of work and the remaining 50% of total test shall be got done from the laboratory as approved by Engineer-in-charge.

6 Standard of acceptance of concrete work

- i) Out of the six specimen cubes of a test sample three cubes shall be tested at 7 days and the remaining three cubes at 28 days.
- ii) The test results at 7 days are only intended to indicate the likely strength at 28 days and to decide the continuation of further concrete work.

In case, the 7 days test results do not satisfy the specified strength criteria, all further work structurally inter linked with the concrete work represented by the sample, shall be stopped and the test results of the remaining three cubes at 28 days shall be awaited before proceeding further with the work or the work shall be carried out as per the written directions of the Engineer-in-Charge.

The contractor shall have to setup a fully equipped field laboratory to conduct field tests for conducting tests in addition to the tests which shall be conducted from out side laboratory; for which nothing extra shall be payable.

Test results at 28 days

- iii) The average compressive strength of the sample at 28 days shall alone form the basis of acceptance of concrete work and the payment under the contract subject to the specified criteria for acceptance.
- iv) The concrete work of each grade and a lot shall be assessed separately.
- v) The concrete shall be assessed daily for strict compliance of the specified acceptance criteria.
- vi) The concrete shall be deemed to comply with the strength requirements
- vii) The concrete work shall liable to be rejected if it is porous or honey combed; its planning has been interrupted without providing a proper construction joint, the reinforcements have been displaced or it does not satisfy the specified dimensional tolerance as per relevant IS code.

7 Measurements

- i) The measurements of work and the allowable tolerances shall be governed by provisions of PWD specifications 1990 read with up to date correction slips.
- ii) The theoretical consumption of cement in design mix concrete shall be worked out on the basis of proportions approved.

8

Rate

- i) The rate shall include cost of all materials used and labour involved in all operations described above including the cost of designing and testing of concrete mix in the approved laboratory, but excluding the cost of centering and shuttering and reinforcement.
- ii) The average compressive strength of each test sample shall govern the rate payable for the concrete represented by the sample.
- iii) The concrete which does not meet the strength requirement as specified, but has strength greater than that specified nothing extra shall be paid for that.
- iv) The payment for different grades of concrete shall be made strictly as indicated in the structural drawings for the work. No extra payment for richer mix projecting into any other member during concreting of junctions of columns beams and slabs etc. shall be made except otherwise admissible as per structural drawings.

TECHNICAL CONDITIONS, IMPORTANT SPECIFICATIONS AND MODE OF MEASUREMENTS FOR ELECTRICAL WORKS AND CONDUIT SYSTEM OF WIRING (FOR BOTH PVC AND STEEL CONDUIT)

1. Before energizing the system, following tests should be given by the contractor, so as to find out that installation conforms to relevant rules/regulations.
Regulations:
(a) Earth Resistance Tests
(b) Earth Continuity Tests
(c) Insulation Tests
(d) Polarity Tests
2. The PVC Copper wire unless otherwise specified conforming to present enforced ISI specifications shall only be used at site of work from the list of approved material appended with this DNIT.
3. Looping in system of wiring shall be adopted for all sub-circuit wiring.
4. In the item of bell point, the contractor will install bell push , the cost of which will be adjusted against the ceiling rose cost included in the item and nothing extra will be payable on the this account and no compensation will be allowed to contractor.
5. All PVC conduit pipes should be embedded within slab or in walls after making chases and at no point should be provided in the floor.
6. Sizes of M.S. boxes made from 18 gauge MS sheet as per relevant IS standard shall only be used
7. MCB's & enclosure etc will be installed of one make only and the thickness of CRCA sheets should be 1.20 mm (18 gauge) for SPN box and 1.60 mm (16 gauge) for TPN boxes as permitted by DGS&D.
8. G.I. pipes for earthing for protection of earth wire shall be medium (B Class) quality.
9. The rigid PVC conduit pipes (Medium) to be used on the work should bear the manufacturer's Trade Mark and shall be ISI marked & should be out of the make indicated in the list of material appended with DNIT. All specials should bear the trade mark of the same manufacturer.
10. The contractor will have to employ licensed supervisor for the execution of Electrical installation works. The contractor executing the electrical work under this contract will possess 'A' class license from Chief Electrical Inspector to Govt. of Haryana. However, the contractor can sublet the internal electrical work to a person/agency possessing 'A' class license from the Chief Electrical Inspector to Govt. of Haryana. The contractor is required to submit the test report in respect of each house/dwelling unit for its submission to electric supply company.
11. All chases and holes made for wiring or for other purposes shall be refilled properly and neatly for bringing to original finish to the satisfaction of Executive Engineer. If the building construction work is in progress, the electrical work shall proceed along with for the purpose of cutting chases and holes.
12. The consideration of various size of cable and conduit pipes shall be allowed as tabulated below:

Contractor

Witness

Executive Engineer

| Sr. No. | Size of cable | Size of conduit pipe/ No of wires allowed | | |
|---------|---------------|---|------|-------|
| | | 20 mm | 25mm | 32 mm |
| 1 | 1.50 mm sqmm | 5 | 10 | 14 |
| 2 | 4 mm sqmm | 3 | 6 | 12 |
| 3 | 6 mm sqmm | 2 | 5 | 8 |
| 4 | 10 mm sqmm | - | 4 | 7 |

13. The arrangements for the electric supply required for construction purpose shall be made by the contractor at his own cost.
14. Material out of the list attached with D.N.I.T. shall only be used at site after getting the same approved from Chief Engineer.
15. Contractor shall be responsible for damage/pilferage of electrical fittings till the houses are handed over.
16. All the round junction box and fan box covers shall be of 3mm thick bakelite sheet and nothing extra shall be paid on this account. The colour of these Bakelite sheet cover shall be as approved by the Engineer -in-Charge.
17. The work will be executed strictly as per PWD specifications unless and otherwise specified.
18. Definition and measurement of points and wiring of DNIT no 1 strictly followed as per Haryana PWD Specifications.
19. The size of bakelite sheet should be 20mm more than size of MS boxes ie for MS box of size 75 mm x 75 mm size of Bakelite sheet shall be 95 mm x 95 mm and so on
20. Multi Strand Copper Conductor cable shall be allowed.
21. 3mm thick Bakelite sheet of IS marked of approved will be used for item No 31.38 ie wiring in existing conduit pipe installed of 5 mm thick Bakelite sheet without any deduction.
22. Separate conduit for power plug with independent circuit shall be made.
23. Contractor must employ following staff while carrying out the Electrical works:

| Sr. No. | Agreement amount | Key personnel required by the contractor | Recovery rate in case of non-employment |
|---------|---------------------------------|--|---|
| 1 | Up to Rs.1.00 crore | One Electrical Engineer with Diploma in electrical Engineering with 5 years experience in buildings | Rs. 30000/- P.M |
| 2 | Rs. 1.00 crore to Rs.5.00 crore | One Electrical Engineer with Degree in Electrical Engineering with 2 years experience or One electrical Engineer with Diploma in electrical Engineering with 5 years experience in buildings | Rs. 50000/- P.M |
| 3 | Above Rs. 5.00 crore | One Electrical Engineer with Degree in Electrical Engineering with 5 years experience | Rs. 75000/- P.M |

In case the contractor fails to employ the key personnel required to be employed as above at site, the department will employ the personnel and the recoveries will be made as above from the bills of the contractor along with 14% departmental charges. The personnel so employed shall be considered as employees of the contractor and all responsibilities of them shall lie with him only.

Contractor

Witness

Executive Engineer

ADDITIONAL CONDITIONS

- 1) The work will be executed strictly in accordance with the Haryana PWD Specification 1990 (as applicable to Haryana) corrected up to date at the time of tenders, unless specified to contrary.
- 2) The contractor shall not be entitled to any payments on account of work done till he signs the agreement and the same is accepted by the competent authority.
- 3) Royalty, Sales Tax, service tax, Excise Duty, Octroi or any other tax or levy shall be paid by the contractor direct to the respective department in accordance with their rules and regulations enforce from time to time, without any liability to the Housing Board Haryana.
- 4) Technical Staff at the site of work
The contractor shall be required to keep at the site of work following technical staff when work costing up to Rs. 1.00 Crore and above as under:-

| Sr. No. | Agreement amount | Key personnel required by the contractor | Recovery rate in case of non- employment |
|---------|---------------------------------|--|--|
| 1 | Up to Rs.1.00 crore | One Civil Engineer with Diploma in Civil Engineering with 5 years experience in buildings | Rs. 30000/- P.M |
| 2 | Rs. 1.00 crore to Rs.5.00 crore | One Civil Engineer with Degree in Civil Engineering with 2 years experience or One Civil Engineer with Diploma in Civil Engineering with 5 years experience in building construction | Rs. 50000/- P.M |
| 3 | Above Rs. 5.00 crore | One Civil Engineer with Degree in Civil Engineering with 5 years experience in building construction and one quality control Engineer with 2 year experience in quality control | Rs. 75000/- P.M for Civil Engineer and Rs. 25000/- per month for Quality Control Engineer. |

In case the contractor fails to employ the key personnel required to be employed as above at site, the department will employ the personnel and the recoveries will be made as above from the bills of the contractor along with 14% departmental charges. The personnel so employed shall be considered as employees of the contractor and all responsibilities of them shall lie with him only.

- 5) Actual quantities of completed and accepted work shall only be paid.
- 6) In case of emergency, the contractor shall be required to pay his labour every day and if this is not done, the Board will make the requisite payment and recover the same from the contractor's dues.
- 7) No claim shall be entertained on account of increase in price of material and wages of labour due to any cause what so ever.
- 8) The Executive Engineer reserves the right to take away any item of work or any part thereof at any time during the currency of work and re-allot to any other agency with due notice to the contractor without liability of any kind or payment of any compensation.

Contractor

Witness

Executive Engineer

- 9) 10% security is deducted from the running bill after adjusting 2% earnest money subject to the maximum 5% of agreement amount. The agency can provide equivalent bank guarantee of any schedule bank in lieu of the cash security after adjusting 2% earnest money. The bank guarantee shall be valid for the duration of the project plus fifteen months.
- 10) 50% security shall be released after 60 days, but before 75 days of the payment of the final bill. Balance 50% security shall be released after 300 days, but before 330 days of the payment of the final bill.
- 11) That in case the payment of running bill is not released within forty days from the date of submission of bill by the contractor for the works executed under contract, then the Board would be liable to pay interest @ 0.03% (zero point zero three percent) per day of delay beyond 40(forty) days. However, no extension in time limit would be allowed on account of delay in releasing the payment.
- 12) The payment of final bill shall be released within 90 (ninety) days from the date of completion of work, failing which interest @ 0.03% (zero point three percent) of the total amount of the final bill per day of delay beyond 90 (ninety) days shall accrue to the contractual agency.
- 13) In case samples have been drawn by the State Vigilance Bureau or by any other authority but the report and test result of samples have not been received, the payment of running bills; final bill & security will be released after the contractor furnished on undertaking in shape of indemnity bond on the following lines :-
"I/We _____ son of Shri _____
Resident of _____ do hereby undertake to bear the recoveries if any, levied by the Board on account of any adverse results for the samples taken by the State Vigilance Bureau or by any other authority from the work of _____. I further undertake that I will reconstruct the structure if declared unsafe due to result of the samples. I also undertake that in case of any item of work contains defect of nature which do not endanger the structural stability of the work, it may be accepted and the payment thereof shall be made to us at the reduced rates decided by the Chief Engineer which will be final and binding on us as per additional condition No.17 of the contract agreement. I have no objection if all the recoveries are made from any other contract executed with the Board as well as with other Organization."
- 14) The contractor will be responsible for any and all losses of material damages done to unfinished works as result of floods and any other act of God. The Housing Board Haryana will not be responsible for any compensation as a result of such damages or loss to the contractor and the contractor shall be liable to set right such damages at his own cost to the satisfaction of the Executive Engineer.
- 15) Nothing extra will be paid to the contractor for any lead or lift unless otherwise specified for any material required directly or indirectly under the contract.
- 16) Nothing extra will be paid to the contractor for diverting water in the channels or streams if it becomes necessary for the execution and completion of the work.
- 17) Amount of the work can be increased or decreased due to any item omitted and substituted in accordance with the requirement of the Board and no claim on this account shall be entertained.

Contractor

Witness

Executive Engineer

- 18) The contractor shall be responsible for providing to the entire satisfaction of the Executive Engineer at his own expenses for the following amenities for all the labour employed by him:-
- i) Suitable temporary hutting accommodation.
 - ii) Trench latrines, bathing enclosures, platforms separately for men and women and their regular cleanliness.
 - iii) Clean drinking water.
- In event of his failure, to be provided by the Board and cost thereof shall be recovered from the contractor. Any dispute regarding above points shall be settled by the Executive Engineer and his decision shall be final.
- 19) No claim of any kind whatsoever shall be entertained for any or all the losses or damages to the contractor, due to the completion of the work getting delayed or failure on the part of the Executive Engineer to supply drawings, materials, tools and plant required to be supplied by him under the terms and conditions of the contract.
- 20) For safe custody of materials and watch and ward thereof and proper double lock arrangement, the contractor shall be bound to follow the instruction of the Executive Engineer.
- 21) In case the work of any item of work contains defects of a nature which do not endanger the structural stability of the work, it may be accepted and the payment thereof shall be made to the contractor at reduced rates. The decision of the Chief Engineer in this regard shall be final and binding.
- 22) The contractor executing the Public Health works should either possess a license or engage a licensed plumber for supervision and execution of these works. The license will be issued by the authority competent to issue such license.
- 23) The Executive Engineer shall have the right to get any item of work shown in the contract schedule of rates executed under this contract to any limit when required for the purpose of completion of the work on the same rates and terms as provided under this contract.
- 24) All clause and notes given in the Haryana PWD Schedule of rates 1988 with up to date correction slips will be applicable to the date of tender for all items in the DNIT/Haryana PWD schedule of Rates 1988 wherever necessary except Para 9 (b) of preface of Haryana PWD schedule of Rates-1988.
- 25) The size of reinforced cement concrete and other structural member shall be measured and paid for as per size provided in the structural design.
- 26) Error or omission, if any in the nomenclature rate or unit of the items or work shall be corrected as per Haryana PWD schedule of Rates-1988.
- 27) The Executive Engineer reserves the discretion to order the use of Tor or TMT or Mild steel as per structural requirement.
- 28) The Executive Engineer reserves the discretion to get any type of material used as per new techniques innovation from the contractor for any work done under this contract. However, the rates for such material/work shall be paid as per provision of clause 14 of the contract agreement.
- 29) Paint conforms to relevant IS specification and of make indicated in the contract will be arranged by the contractor irrespective of note appended in HSR 1988.
- 30) The contractor shall comply with the provision of the Apprentices Act, 1961 and the rules and orders issued there under from time to time. If he fails to do so his failure will be breach of contract and the Chief Engineer will have the power

to cancel the contract. The contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provision of the Act.

- 31) If for execution of the work, the contractor engages imported labour, he shall immediately inform the Local Health Authorities entrusted with the work of eradication of Malaria for their labourers inclusion in the surveillance operation and for getting their blood examined, from the aforesaid authorities in order to prevent Malaria positively.

Imported labour: Means labour belonging to a State other than the State of Haryana.

- 32) The contractor shall have to make arrangement for nourishment of children where 10 or more women worker shall be engaged by him on work the children shall be under the supervision of one women worker who shall provide them with milk and toys to play in a tent provided at site.
- 33) Income tax will be deducted from the bills of the contractor according to section 194-C of the Income Tax 1961 and instruction issued by the concerned Department from time to time.
- 34) No pits will be dug by the contractor near the site of building work or within road land for taking out earth for use on the work. In case of default the pits so dug will be filled in by the Board at the cost of the contractor plus fourteen percent department charges.
- 35) All material left at site one month after the completion of work shall become the property of the Housing Board Haryana and contractor shall have no claim wherever for such material left by him at site after one month of completion of work.
- 36) The contractor shall supply at his own cost and expenses all labour materials etc. for layout and checking of any portion of the work during construction, whereas over required by the Executive Engineer or his representative and nothing extra shall be paid for such services.
- 37) The contractor shall not remove from the site of work, without the written permission of the Executive Engineer, any material which has been issued to him for use on the work.
- 38) The contractor will not have any claim in case of delay by the Board of removal of trees of shifting, raising removing of telegraph, telephone or electric lines (over head or under ground) and other structure if any Which comes in the way of the work. Material excavated dismantled or cut at the site during execution of work.
- a) Unless otherwise provided in the contract documents, material such as rubble, gravels, sand Murrum, Kankar, earth soil etc. obtained from excavation and material obtained by dismantling and existing structure shall remain the property of the Govt. /Board. If deemed fit, the Executive Engineer may with the approval of competent authority permit the use of such materials on the work in substitution of materials which the contractor would have otherwise provided, subject to the condition that a suitable deduction shall be made in the rate of the items in which such materials are used.

Contractor

Witness

Executive Engineer

- b) Any trees, branches, bushes crops etc. which may be required to be cut during the execution of the work shall be handed over to the Housing Board Haryana or disposed of as directed by it.
- 39) Coarse crusher sand or natural sand of proper quality having FM as per specifications & approved by the Executive Engineer will be used in all masonry work. In case of plaster work, coarse and Jamuna sand of proper quality having FM as per specifications & approved by the Executive Engineer will be used.
- 40) All material brought by the contractor to the site of work shall be opened to suitable test by the Executive Engineer and in accordance with the approved make. The contractor shall afford all such facilities as the Executive Engineer may require for collecting and forwarding all such samples and shall hold the material represented by the sample until tests have been made the material found as per standard. The contractor will supply the material required for the test samples without any charges. No material, until it is approved by the Executive Engineer, will be used on the work.
- 41) The contractor shall provide weighing and measuring equipments for the works to the entire satisfaction of the Executive Engineer at site for measuring of the various articles, materials brought by him to the site of work for use on the work.
- 42) Running payments made for any work will not confer any rights on the contract for its final acceptance. A work measured for running payments can be totally rejected at the time of final bill or accepted at such reduced rates which the Executive Engineer thinks reasonable. In case of any dispute arising on this behalf, the decision of the Chief Engineer will be final.
- 43) Sales tax as applicable from time to time will be deducted from the contractor's bill as per latest Haryana Government Gazette Notification.
- 44) Mechanical Mixer would be used for mixing of mortar in terms of provision of PWD specification and nothing extra will be payable on this account.
- 45) Earnest money of all the tendered will be released only after 120 days or the acceptance of the tender whichever is earlier.
- 46) In this contract schedule of rates only essential portion of items has been written, but it will deem to cover the entire items as fully described in Haryana PWD schedule of rates-1988.
- 47) No claim will be entertained from the contractor, In case of any omission in description, rate or unit occurred in any of the items taken in this schedule while comparing the schedule or on account of typing comparison or over writing and in case of error. The same shall be rectifiable at any stage as per Haryana PWD schedule of rate-1988 along with the amendments made from time to time.
- 48) If due to any circumstances the site of work is shifted to another near by site in the same town, the agency will have to execute the work on the rates, Items & condition of allotment letter. No claim on account of change of site shall be entertained.
- 49) The rates included in the contract schedule of rates cover the cost of filling the water retaining structures; testing for water tightness to the full satisfaction of the Executive Engineer and implying, if desired.

Contractor

Witness

Executive Engineer

- 50) Building drawing approved with the unit are tentative may be revised by the Executive Engineer with the permission of competent authority. The agency will have to execute the work in accordance with the revised drawings may not claim any this due to this revision.
- 51) In case executing agency brings the earth from the nearest lead than specified in the DNIT then the rate for item of earth filling to be paid will be reduced proportionately.
- 52) The Contractor shall have to arrange water of good quality at its own which is suitable for construction work as per IS necessary code. Nothing extra shall be paid on this account water shall have to be got tested every two months by the tenderer from HUDA or any other Government approved laboratory.
- 53) Any cement slurry added over base surface or for the continuation of concreting for better bond is considered to have been included in the items(unless otherwise explicitly stated) and nothing extra shall be payable for extra cement consumed on this account.
- 54) The preparation of new approach road entrance or repair of the existing approach road and its maintenance during the execution of the work including its restoration shall all be carried out by the tenderer and nothing extra shall be payable on this account.
- 55) Site shall mean the land (s) or other places into or through which the work is to be executed under the contract OR any adjacent land, path, OR street, through which the work is to be executed under the contract or any adjacent land path or street which may be allotted or used for the purpose of carrying out the contract.
- 56) The contract shall plan transportation of construction materials components and equipments over public roads in accordance with traffic regulations as applicable at the time and without causing any obstruction to other traffic or causing accident. No claim whatsoever will be entertained on this account.
- 57) The contractor shall get the layout for installation of plant machinery labour huts, stores, site office, workshop, batching plant etc. approved from Executive Engineer in advance. Nothing extra shall be payable on this account.
- 58) Executive Engineer or his authorized representative may appoint any number of assistant to assist them. Their names duties and scope of authority shall be notified to the contractor and they shall have the authority to issue instructions/give decisions to the extent of duties assigned and powers delegated to them.
- 59) The contractor shall take all safety precautions pertaining to construction of works such as excavation, trenching blasting demolition provisions of scaffolds ladder working platforms, gangways, mixing asphalted materials, electric arc and gas welding, use of hoisting and construction machinery shall be governed by relevant provisions **Under the Building & other Construction Workers (Regulation of Employment and Conditions of Services) Act-1996** and as directed by the Executive Engineer and nothing extra shall be payable on this account.
- 60) The contractor shall make his own arrangements for water supply and electric power necessary required for the work and shall make necessary payments directly to the W/S & Electricity Department concerned and nothing extra shall be payable on this account any recommendatory letters shall be issued by the department if requested by the contractor, but shall be in no way be

Contractor

Witness

Executive Engineer

responsible in got getting delay in getting required connections and no claim will be entertained in this regard.

- 61) The contractor shall provide at his own cost suitable leveling, weighing and measuring instruments at site for checking the levels, weight and dimensions etc. as may be necessary for execution of the work without any extra cost. The contractor shall also have to carry out preliminary work of setting permanent bench marks, reference points etc. at his own cost.
- 62) A number of other agencies will also simultaneously execute the works like electrification, horticulture or external services and other building works etc. for the same project along with this work in particular. The contractor shall work in close co-ordination and shall provide necessary facilities for the same. No claim whatsoever in the matter shall be entertained.
- 63) Some restrictions may be imposed by the security staff etc. on the working and/or movement of labourers, materials etc. the contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on this account.
- 64) The Contractor shall take all precautions to avoid accidents by exhibiting necessary caution boards day and night, speed limit boards, red flags, red lights and providing barriers. He shall be responsible for an damages and accidents caused to existing new work due to negligence on his part. No hindrance shall be caused to traffic/running of institution during the execution of the work.
- 65) The Contractor shall be responsible for the watch and ward of the building, safety of all fittings and fixtures including sanitary and water supply fittings and fixtures against pilferage and breakage during the period of installation and thereafter till the building is physically handed over to the Housing Board Haryana.
- 66) In order to indemnify the Board for any claim on account of damage to adjacent/existing properties/structure, the contractor shall at his own cost, ensure before commencement of the actual work and as per direction of Executive Engineer against such claim that may arise out of or due to work done by him.
- 67) The Contractor shall give due notices to municipal, police and / or other authorities that may be required under the Law/Rules under force in the area and obtain all requisite licenses for temporary obstructions/enclosure and pay all charges which may be livable on account of his execution of works, under the agreement nothing extra shall be payable on this account.
- 68) Clearance of sites at the commencement and completion of work shall be done by the Contractors at his own cost. It includes clearance of site, jungle, bushes, undulations trees drains, culverts, temporary structures including any underground features etc. before start of work and dismantling of underground or of other structures, features constructed by the Contractor for execution of works, after completion of work including disposal of malba.
- 69) The Contractor shall submit programme for successful completion of contract within 20 days from the date of award of work, in case he fails to do so Executive Engineer will prepare such programme which shall be binding on him.

- 70) If the Contractor might be required to work in two or more shifts (including night work) and no claim whatsoever shall be entertained on this account notwithstanding the fact that the contractor will have to pay the labourers and other staff engaged directly or indirectly on the work according to the provisions of the labour regulations and the agreement entered upon and / or extra amounts for any other reasons. Prior approval for such programme be obtained from Executive Engineer.
- 71) Before commencement of the work, the contractor shall co-relate all the relevant architectural and structural drawings issued for the work and satisfy himself that the information available there from is complete and unambiguous. The figures and written dimensions on the drawings shall supercede the measurement by scale.
- 72) The discrepancy, if any, shall be brought to notice of Executive Engineer for decision before execution of the work. The contractor, alone shall be responsible for any loss or damage occurring by the commencement of work on the basis of any erroneous and incomplete information.
- 73) The contractor shall ensure quality construction in a planned and time bound manner. Any sub-standard material/work beyond set out tolerance limits shall be summarily rejected.

Materials and testing of materials for quality:

- 74) The materials shall be subject to inspection and approval of the Executive Engineer

75) **Sub-standard Material/Work:**

In case any materials/work is found sub-standard the same shall be rejected by the Executive Engineer and the same shall be removed from the time of work within 48 hours, failing which the same shall be got removed by the Executive Engineer at the risk and cost of the contractor without giving any further notice and time.

76) **Sample of Materials:**

The contractor shall submit to the Executive Engineer samples of all materials for approval before bringing bulk supplies and before commencing the work. These approved samples shall be preserved and retained in the custody of the Executive Engineer as standards of materials and workmanship till the completion of the work. The cost of testing of such samples shall be borne by the contractor and nothing shall be payable on this account. The material shall be got tested from the Govt. Lab / IIT/NIT/ PEC/ Shree Ram Institute Dehli.

The Executive Engineer shall reserve the right for number of samples drawn from the works for its testing as he may consider proper as per provision of I S Codes. In case, the contractor does not comply with any such provisions, the Board shall get it done and the charges shall be recovered from the contractor's dues.

Insurance against accident for injury to workers

- 77) The Board shall not be liable for, or in respect of any damages of compensation payable at law in respect or in consequence of any accident or injury to any workman or other person in the employment of the contractor or any sub-contractor, the contractor shall indemnify and keep indemnified the Board against all such damages and compensation, and against all claim, proceedings, costs, charges and expenses whatsoever in respect thereof or in relation thereto.

78) **Use of Fly Ash**

The contractor is required to use fly ash clay bricks conforming to IS: 3812 if the same are available, in view of the Fly Ash Notification issued by the Haryana Government from time to time.

- 79) In case of any item of HSR which has not been exhibited in DNIT due to any reason, the same shall be paid with the premium quoted for the relevant chapter of HSR 1988. Further, if more than one premium has been quoted for that chapter, then premium of nearest item of that chapter or overall premium at which the tender has been approved whichever is less will be paid. It is further clarified that if no rate for the relevant chapter has been quoted, then payment with overall premium at which tender has been approved will be paid.
- 80) One percent or as applicable from time to time labour cess on the construction cost shall be deducted from the contractor's bill as per the building and other Construction Workers Welfare Cess Act 1996 with latest amendments.
- 81) No extra payment will be made to the contractor for use of batch mixture, transit mixture, belt conveyer and overhead crane in case it is used at site.
- 82) That the specific loose material will be given to the allottee at the time of possession and he has to get it fixed at his own. No labour rate for fixing the loose material will be paid to the agency.
- 83) Laboratory will be set up by the contractual agency at site of the work at his own cost for the work having agreement cost more than one Crore, as details given below. If the contractual agency will fail to establish field laboratory within one month from the date of start of work, the same will be established by the Engineer-in-charge of work **and recovery shall be made from the contractor's bill @ of double the cost of the items as given in the list of the laboratory equipments:**

| List of the Laboratory equipments | | |
|--|---|-----------------|
| Sr.No | Name of the item | Quantity |
| 1 | Tool kit (Vernier 15cm, micrometer, try scale, spirit level, plumb Bob, tape 3m and screw driver. | 3 sets |
| 2 | Compression testing Machine 200 T, manual | 1 set |
| 3 | Cube moulds 150 x 150mm | 4 sets |
| 4 | Cube moulds 75 x 75mm | 4 sets |
| 5 | Slump test apparatus | 1 set |
| 6 | Sieve set 200mm dia Brass (150 micron to 4.75mm) | 1 set |
| 7 | Sieve set 300mm dia Brass (2.36 to 10mm) with sieve shaker | 1 set |
| 8 | Enameled Tray 450x300mm | 6 Pcs |
| 9 | Oven | 1 set |
| 10 | Timber moisture meter | 1 set |
| 11 | Electronics weighing machine 5 kg capacity | 1 set |
| 12 | Measuring Jar | 4 Pcs |
| 13 | Vernier Caliper | 1 set |
| 14 | Vernier megger | 1 set |
| 15 | Electric Operated Machine Saker for F.M. | 2 sets |

Contractor

Witness

Executive Engineer

- 84) The contractor shall comply with the provision of "Building and other construction workers (Regulation of Employment and Conditions of Service) Act-1996 and rules and other orders issued there under and as amended from time to time" at his level and Housing Board Haryana will not be responsible in case any litigation is arisen.
- 85) Watch and ward of completed houses for four months from the date of completion will be responsibility of contractual agency without any extra payment.
- 86) Any kind of Leakage causing dampness in the building will be rectified by the contractual agency up to one year from the date of completion of the work. In case of failure of contractual agency, action under clause-19 of the contract shall be taken for rectification of the defect.

Contractor

Witness

Executive Engineer

**HOUSING BOARD HARYANA CONTRACTOR LABOUR REGULATIONS AND
FAIRWAGE CLAUSES.**

- (1) Short title: These regulations may be called Haryana (1) Public works Department Contractor Labour Regulations.
- (2) Definitions: In the regulations unless other wise expressed or indicated the following words and expressions shall have the meaning hereby assigned to them respectively that is to say.
 - (a) "Labour" means workers employed by Housing Board Haryana contractor directly or indirectly through a sub-contractor other person or by an agent on his behalf.
 - (b) "Fair wages" means wages whether for time or piece work notified at the time of inviting tenders for the work and where such wages have not been so notified, the wages prescribed by the Haryana Public Works Department for the district in which the work is done.
 - (c) "Contractor shall include every person whether a sub-contractor or headman or agent employing labour on the work taken on contract.
 - (d) "Wages" shall have the same meaning as defined in the payment of wages Act, 1936 and include time and piece rate wages.
- (3) Display of notice regarding wages, etc. The contractor shall before the commences his work on contract display and correctly maintain and continue to display and correctly maintain in clean and legible condition in conspicuous place on the work notice in English and in the local Indian language spoken by the majority of the workers giving, the fair wages notified or prescribed by the Haryana by the Haryana Public Works Department and hours of work for which such wages are earned.
- (4) Payment of wages
 - (i) Wages due to every worker shall be paid to him direct.
 - (ii) All wages shall be paid in current coin or currency or in both.
- (5) Fixation of wages periods
 - (i) The contractor shall fix wages periods in respect of which the wages shall be payable.
 - (ii) No wages period shall exceed one month.
 - (iii) Wages of every workman employed on the contract shall be paid before expiry of ten days after the last day of the wage period in this respect of which the wages are payable.
 - (iv) When the employment of any worker is terminated by or on behalf of the contractor, the wages earned by him shall be paid before the expiry of the day succeeding the one on which his employment is terminated.
 - (v) All the payments of wages shall be made on working day.
- (6)
 - (i) Wages books and wages slip etc. The contractor shall maintain a wage book of each worker in such form as may be convenient, but the same shall include the particulars.
 - (a) Rate of daily or monthly wages.
 - (b) Nature of work on which employed.
 - (c) Total number of days worked during each wage period.
 - (d) Total amount payable for the work during each wage period.
 - (e) All deduction made from the wages with an indication in each of the ground for which the deduction is made.
 - (ii) Wage actually paid for each wages period.
 - (iii) The contractor shall also maintain a wages slip for each worker employed.
 - (iv) The authority competent to accept the contract may grant an exemption from the maintenance of wages book and wages slip to a contractor who

Contractor

Witness

Executive Engineer

- is his opinion may note directly or indirectly employ more than 100 persons on the work.
- (7) (i) Fines and deductions which may be made from wages: The wages of a worker shall be paid to him without any deduction of any kind except the following.
- (a) Fines
 - (b) Deduction for absence from duty, i.e. from the place where by the terms of his employment he is required to work. The amount of deductions shall be in proportion to the period for which he was absent.
 - (c) Deduction for damage to or lost of goods expressly entrusted to the employed person for custody or for loss of money for which he is required to account where such damages or loss is directly attributable to his neglect or default.
 - (d) Any other deduction which the Board may from time to time allow.
- (ii) A fine shall be imposed on a worker and no deduction for damages or loss shall be made from his wages until the worker has been given an opportunity of showing cause against such fines or deduction.
- (iii) The total amount of fines which may be imposed in any one wages period on a worker shall not exceed an amount equal 50% of the wage payable to him in respect of that wages period.
- (iv) No fine imposed on a worker shall be recovered from him by installment or after the expiry of 60 days from the date on which it was imposed.
8. Register of fines etc.
- (i) The contractors shall maintain a register of fines and of all deductions for damages or loss. Such register shall mention the reason for which fine was imposed or deduction for damage or loss which was made.
 - (ii) The contractor shall maintain a list in English and the local Indian language, clearly defining act and omissions for which penalty or fine can be composed. He shall display such list and maintained it in a clear and legible condition in conspicuous place.
9. Preservation of Book: The wage book, the slip and the register of the deductions required to be maintained under the regulations shall be preserved for 12 months after the date of entry made in them.
10. Power of Labour Welfare Officers to make investigations or enquiry: The Labour Welfare Officer or any other person authorized by the Haryana State Housing Board on their behalf shall have power to make enquiries with a view to ascertaining and enforcing due and power observance of the wage clause and the provisions of these regulations he shall investigate into any complaint regarding the default made by the contractor or sub-contractor in regard to such provision.
11. Report of Labour Welfare Officer : The Labour Officer or any other persons authorized as aforesaid shall submit a report of the result of his investigations or enquiry to the Executive Engineer concerned, indicating the extent if any to which the default has been committed and the amount of the fine recoverable in respect of the acts of omission of the labourer with a note that necessary deduction from the contractor's bill be made and the wages and other dues paid to the labourers concerned.
12. Appeal against decision of the Labour Welfare Officer any persons aggrieved by the decision and recommendation of the Labour Welfare Officer or other persons so authorized may appeal, against such decision to the Labour Commissioner but subject to such appeal, the decision of the officer shall be final and binding upon the contractor.

13. No partly shall be allowed to be represented by lawyer during any investigation enquiry appeal or any other proceedings under these regulations.
14. Inspection of Register: The contractors shall allow inspection of the Wage Book and Wage Slips to any of his workers or to his agent at a convenient time and places after due notices is received or the Labour Welfare Officer or any other person authorized by the Haryana Housing Board on his behalf.
15. Submission of return: The contractor shall submit periodical return as may be specified from time to time.
16. Amendments: The Haryana Housing Board may from time to time add or amend these regulations and or any question as to the application interpretation or affect of these regulations, the decision of the Labour Commissioner to Haryana shall be final.
 - (i) Government or any other person authorized by the Haryana Housing Board in that behalf be final.
17. The Government of India with a view to regulate employment of contract labour in certain establishment has enacted the CONTRACT LABOUR (REGULATION & ABOLITION) ACT, 1970. This Act applies to:-
 - i) **to every establishment in which twenty or more workmen are employed or were employed on any day of the preceding twelve months as contract labour;**
 - ii) **To every contractor who employs or who employed on any day of the preceding twelve months twenty or more workmen.**

LABOUR WAGE CLAUSES

Fair Wage Clause: Fair Wage Clause should invariably in all notices and conditions of contract forms used in this Department.

- (a) The contractor shall pay not less than fair wage to labourers engaged by him on the work.

Explanation:

Fair wage means wage whether, for time of piece work notified at the time of inviting tenders for the work and where such wages have not been so notified, the wages prescribed by the Public Works Department Building and Roads Haryana (1) for the district in which the work is done.

- (b) The contractor shall, notwithstanding the provision of any agreement to the contrary cause to be paid fair wage to labourers indirectly engaged on the work, including any labour engaged by the Sub-contractors in connection with the said work, as if the labourers had been directly employed by him.
- (c) In respect to all labour directly or indirectly employed on the work for the performance of the contractor's part of this agreement, the contractor shall comply with or cause to be complied with the Haryana(1) Public works Department Contractor's labour Regulations (page to) made by the Govt. from time to time in regard to payments of wages, wage period, deduction from wages, recovery of wages not paid unauthorized made, maintenance of wage register, wages cards, publication of wages and other terms of employment, inspection and submission of periodical returns and all other matters of a like nature.
- (d) The Executive Engineer or the Sub-Divisional Engineer concerned shall have the right to deduct from the money due to the contractor any sum required or estimated to be required for making good the loss suffered by a worker or worker by reason of non fulfillment of the conditions of the contract for benefit of the workers, non-payments of wages which are not justified by the terms of contract or for non-observance of the regulations referred to in clause (c) above.
- (e) Vis-à-vis Housing Board Haryana the contractor shall primarily be liable for all payments to be made under Haryana for the observance of the regulations aforesaid without prejudice to his right to claim indemnity from his sub-contractors.
- (f) The regulations aforesaid shall be deemed to be a part of this contract and any breach thereof shall be deemed to be breach of this contract.

Contractor

Witness

Executive Engineer

GUARANTEE TO BE EXECUTED BY CONTRACTORS ON NON JUDICIAL STAMP PAPER FOR REMOVAL OF DEFECTS AFTER COMPLETION IN RESPECT OF WATER PROOFING

This Agreement made this.....Day of....., Two Thousand Fourteen andbetween.....Son of.....(hereinafter called the Guarantor of the One Part) and the Board (hereinafter called the HBH of the other Part)

Whereas this Agreement is supplementary to the Contract (Hereinafter called the 'Contract') dated... .. made between the guarantor of the One Part and HBH on the Other Part, whereby the Contractor, inter-alia, undertook to render the buildings and structures in the said contract recited, completely Water and Leak Proof.

AND whereas the guarantor agreed to give a guarantee to the effect that the said work will remain water and LEAK PROOF and the life of such water proofing treatment shall be ten years to be reckoned from the date after the expiry of maintenance period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage cause of earthquake or structural defects or misuse or alteration.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found render the building water proof to the satisfaction of the Engineer-in-Charge at his cost and shall commence the work for such rectification within seven days from the date of issue of the notice from Engineer-in-Charge mass to the cost, payable by the guarantor shall be final binding.

That if guarantor fails to make good all the defects commits breach there under guarantor will indemnify the principal and his successors against all loss, damage, expense otherwise which may be incurred by him by reason of any default on the part of the guarantor in performance and observance of this supplementary agreement. As to the amount of less and /or damage and /or cost incurred by HBH the decision of the Engineer-in-Charge will be final and binding on the parties.

In witness where of these presents have been executed by the obligator..... and by for and on behalf of the Board on the day, month and year first above written.

Signed, Sealed and delivered by obligator in present of:

1.

2.

Contractor

Signed for on behalf of the Board by:

1.

2.....

Sd-
Executive Engineer,
Housing Board Haryana,
Rohtak.

SCHEDULE OF ITEMS AND SPECIFICATIONS TO BE ATTACHED WITH DETAILED NOTICE INVITING TENDER FOR CONSTRUCTION OF 176 NOS. FOUR STOREYED EWS flats, Gr-I INCLUDING INTERNAL PH & EI SERVICES IN Sec-8 AT Charkhi Dadri.

| | |
|---------------------------|------------------|
| Estimated Cost | Rs. 1221.59 Lacs |
| Earnest Money | Rs. 5.00 Lacs |
| Time Limit | 24 Months |
| Date of Receipt of tender | 28.08.2014 |
| Date of opening of tender | 28.08.2014 |

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|---------------|
| 1 | 713 | cum | Earth work in excavation in foundation trenches etc. in all kinds of soil, not exceeding two meters depth including dressing of bottom and sides of trenches stacking the excavated soil, clear from the edge of excavation and subsequent filling around masonry, in 15 cm. layers with compaction, including disposal of all surplus soil, as directed with in a lead of 30 meters. | 1108.1 | 100 cum. | 6.6 |
| 2 | 476 | cum | (a) Earth filling under floors with surplus soil, excavated from foundation and taken only from outside the building plinth, in 15 cm layer including ramming, watering and consolidating lead upto 30 metres. | 343.40 | 100 cum. | 6.13 (a) |
| 3 | | | Centring and shuttering for flat surfaces such as suspended floor, roof, landing, chhajjas, shelves etc. inclination not exceeding 25 degree with horizontal | | | |
| | 2539 | Sqm | 1 st storey | 203.25 | Sqm | N.S |
| | 2539 | Sqm | 2 nd storey | 213.25 | Sqm | N.S |
| | 2539 | Sqm | 3 rd storey | 223.25 | Sqm | N.S |
| | 2539 | Sqm | 4 th storey | 233.25 | Sqm | N.S |
| | 305 | Sqm | 5 th storey | 243.25 | Sqm | N.S |
| 4 | | | Centring and shuttering for stair case with sloping soffits including risers and stringers. | | | |
| | 72 | Sqm | 1 st storey | 254.50 | Sqm | N.S |
| | 72 | Sqm | 2 nd storey | 264.50 | Sqm | N.S |

Contractor

Witness

Executive Engineer

| | | | | | | |
|--------|-------|-----|---|--------|------|---------------------|
| | 72 | Sqm | 3 rd storey | 274.50 | Sqm | N.S |
| | 72 | Sqm | 4 th storey | 284.50 | Sqm | N.S |
| 5 | | | Centring and shuttering for sides and soffits of beams haunchings, girders, bressumers and lintels. | | | |
| | 11637 | Sqm | 1 st storey | 289.00 | Sqm | N.S |
| | 8495 | Sqm | 2 nd storey | 299.00 | Sqm | N.S |
| | 8495 | Sqm | 3 rd storey | 309.00 | Sqm | N.S |
| | 8495 | Sqm | 4 th storey | 319.00 | Sqm | N.S |
| | 7 | Sqm | 5 th storey | 329.00 | Sqm | N.S |
| 6 | | | Centring and shuttering for columns (square or rectangular or polygonal in plan) | | | |
| | 1003 | Sqm | 1 st storey | 247.25 | Sqm | N.S |
| | 1003 | Sqm | 2 nd storey | 257.25 | Sqm | N.S |
| | 1003 | Sqm | 3 rd storey | 267.25 | Sqm | N.S |
| | 1003 | Sqm | 4 th storey | 277.25 | Sqm | N.S |
| 7 | 1860 | Sqm | Shuttering for faces of concrete foundations and foundation beams (vertical or battering) | 30.65 | sqm. | 9.13 |
| 8 | 299 | cum | Cement concrete 1:8:16 with stone aggregate 40mm nominal size in foundation and plinth. | 318.65 | cum | 10.28 |
| 9 | | | Cement concrete 1:8:16 with stone aggregate 40 mm nominal size in first storey upto 4 metres above plinth level | | | |
| | 9 | cum | 1st storey | 324.90 | cum | 10.46 |
| | 19 | cum | 2nd storey | 332.20 | cum | 10.46 +Note |
| | 19 | cum | 3rd storey | 339.50 | cum | 10.46 +Note |
| | 19 | cum | 4th storey | 346.80 | cum | 10.46 +Note |
| 10 | | | Cement concrete 1:2:4 with stone aggregate 20 mm nominal size in first storey upto 4 metres above plinth level | 651.05 | cum. | 10.59 +Note |
| | 10 | cum | 5th storey | 651.05 | cum. | 10.59+Note |
| 11 (a) | 214 | cum | Cement concrete 1:1½:3 with stone aggregate 20 mm nominal size for reinforced concrete work but excluding steel-reinforcement centring and shuttering in foundation and plinth. | 712.70 | cum. | 10.79+ 10.95 (a) |
| 11 (b) | 214 | cum | Extra for every additional depth of 4 meters or part there of | 2.55 | Cum. | Cn. 10 Note (e) (2) |

Contractor

Witness

Executive Engineer

| | | | | | | |
|--------|------|------|---|--------|------|-----------------------|
| 12 | | | Cement concrete 1:1.1/2:3 with stone aggregate 20mm nominal size for reinforced concrete work but excluding steelreinforcement centring and shuttering, laid in position complete in all respects. | | | |
| | 15 | cum | 1st storey | 718.95 | cum. | 10.80+10.95 (a) |
| | 15 | cum | 2nd storey | 726.25 | cum. | 10.80+10.95 (a)+ Note |
| | 15 | cum | 3rd storey | 733.55 | cum. | 10.80+10.95 (a)+ Note |
| 13 | | | Cement concrete 1:2:4 with stone aggregate 20mm nominal size for reinforced concrete work in shelves excluding steel reinforcement, but including centring and shuttering, laid in position complete in all respects. For kitchen work top/ loft. | | | |
| | 5 | cum | 1st storey | 947.70 | cum. | 10.81 |
| | 9 | cum | 2nd storey | 955.00 | cum. | 10.81 +Note |
| | 9 | cum | 3rd storey | 962.30 | cum. | 10.81 +Note |
| | 9 | cum | 4th storey | 969.60 | cum | 10.81+Note |
| 14 | 488 | cum | Design mix cement concrete of grade M-25 with minimum cement contents 410 kg per cum in foundation and plinth. | 780.00 | cum | 10.66 |
| 15 | | | Design mix cement concrete of grade M-25 with minimum cement contents 410 kg per cum in 1 st storey up to 4 mtr. above plinth level. | | | |
| | 1087 | cum | 1st storey | 786.25 | cum. | 10.73 |
| | 889 | cum | 2nd storey | 788.80 | cum. | 10.73+noteV(c) |
| | 889 | cum | 3rd storey | 791.35 | cum. | 10.73 noteV(c) |
| | 889 | cum | 4th storey | 793.90 | cum. | 10.73 noteV(c) |
| | 39 | cum | 5th storey | 796.45 | cum. | 10.73 noteV(c) |
| 16 | 189 | sqm | Damp proof course 40 mm thick of cement concrete 1:2:4 using stone aggregate with 2 coats of bitumen 20/30 penetration at 1.65 kg per sqm laid hot and sanded. | 35.05 | sqm. | 10.114 |
| 17 | 20 | sqm. | Two coats of bitumenpainting 20/30 penetration @ 1.65 Kg./sqm. (for all story) | 8.45 | sqm. | 10.115 + Note |
| 18 (a) | 1133 | cum | First class brick work laid in cement sand mortar 1:6 in foundation and plinth | 393.45 | cum. | 11.2 |

Contractor

Witness

Executive Engineer

| | | | | | | |
|-------|------|------|---|--------|--------------|-------------------------|
| 18(b) | 680 | cum. | Extra for every additional depth of 4 metres or part there of | 8.25 | cum. | Ch. 11 Note (vi) (b) |
| 19 | | | First class brick work laid in cement sand mortar 1:6 in first storey upto 4 metres above plinth level | | | |
| | 360 | cum | 1st storey | 414.45 | cum. | 11.7 |
| | 598 | cum | 2nd storey | 422.7 | cum. | 11.7 +11.41Note |
| | 598 | cum | 3rd storey | 430.95 | cum. | 11.7 +11.41Note |
| | 598 | cum | 4th storey | 439.2 | cum. | 11.7 +11.41Note |
| | 230 | cum | 5th storey | 447.45 | cum. | 11.7 +11.41Note |
| 20 | | | First class brick work laid in cement sand mortar 1:4 in first storey upto 4 metres above plinth level | | | |
| | 5 | cum | 1st storey | 445.6 | cum | 11.9 |
| | 5 | cum | 2nd storey | 453.85 | cum | 11.9 + 11.41Note |
| | 5 | cum | 3rd storey | 462.1 | cum | 11.9 + 11.41Note |
| | 5 | cum | 4th storey | 470.35 | cum | 11.9 + 11.41Note |
| | 84 | cum | 5th storey | 478.6 | cum | 11.9 + 11.41Note |
| 21 | 29 | cum. | Extra for brick work in Square or rectangular pillars in buildings | 12.4 | cum. | 11.42 |
| 22 | 156 | sqm. | 11.43 cm thick brick wall laid in cement sand mortar 1:4 without reinforcement, in foundation and plinth | 52.7 | sqm | 11.47 |
| 23 | | | 11.43 cm thick brick wall laid in cement sand mortar 1:4 in superstructure | | | |
| | 464 | sqm | 1st storey | 55.1 | sqm. | 11.48 (a) |
| | 967 | sqm | 2nd storey | 56.05 | sqm. | 11.48 (a) + Note IV (a) |
| | 967 | sqm | 3rd storey | 57 | sqm. | 11.48 (a) + Note IV (a) |
| | 967 | sqm | 4th storey | 57.95 | sqm. | 11.48 (a) + Note IV (a) |
| | 190 | sqm. | 5th storey | 58.9 | sqm | 11.48 (a) + Note IV (a) |
| 24 | 7107 | Nos | Dressing, chamfering of bricks to required shape in masonry work (for all storey) | 73.75 | per 100 Nos. | 11.81 |
| 25 | | | Terracing consisting of tiles 22.86 cm X 11.43 cm X 3.81 cm laid over 87.50 mm mud filling on a layer of 25mm mud plaster and an other layer of mud mortar for laying the tiles, including two coats of bitumen | | | |

Contractor

Witness

Executive Engineer

| | | | | | | |
|----|------|--------|--|-------|-------|----------------|
| | | | laid hot at 1.65 Kg per sqm on top of R.C.C. slab including grouting with cement sand mortar 1:3 and top surface to be left clean etc. | | | |
| | 1895 | sqm | 4th storey | 55.95 | sqm. | 13.13+ Note |
| 26 | 53 | Nos. | Top khurra 0.6 m X 0.6 m for rain water pipe in 25 mm thick cement concrete 1:2:4 over 50 mm thick cement concrete 1:8:16 | 12.3 | each` | 13.5 |
| 27 | | | Supplying and fixing in position G.I. pipe class 'B' spouts in chajjas and cantilevers. | | | |
| | 112 | Mtr | (e) 50 mm internal dia. G.I. Pipe | 75.5 | Mtr | 13.55 (e) |
| 28 | 1011 | P. mtr | Cement concrete 1:2:4 gola 10 cm X 10 cm quadrant along junction of roof with parapet wall finished smooth, where specially specified. | 5.35 | Rmtr | 13.64 |
| 29 | | | Providing & fixing PVC Rain Water pipe 6 Kg pressure of ISI mark in cement mortar during masonry work. | | | |
| | 737 | Mtr | (a) 100 mm dia. PVC pipe 6 kg. pressure | 182 | Mtr | 13.89 (a) |
| 30 | | | Providing & fixing PVC Bend ISI Mark | | | |
| | 53 | Nos | (a) 100 mm dia. PVC Bend | 97.4 | each | 13.90 (a) |
| 31 | 1863 | sqm | Base course of floors consisting of 75 mm Cement concrete 1:8:16 & 75 mm sand or stone filling. | 27.71 | sqm. | 14.1 (derived) |
| 32 | | | Screed of 50 mm thick cement concrete 1:8:16 to be laid below the topping | | | |
| | 2016 | sqm. | 2nd storey | 15.35 | sqm. | 14.4 |
| | 2016 | sqm | 3rd storey | 15.65 | sqm | 14.4 + note |
| | 2016 | sqm | 4th storey | 15.95 | sqm | 14.4 + Note |
| | 195 | sqm. | 5th storey | 16.25 | sqm. | 14.4+Note |
| 33 | 1128 | sqm | Conglomerate floor 40 mm thick cement concrete topping 1:2:4 in court yards. | 31.5 | sqm. | 14.9 |
| 34 | | | Flat brick or tile flooring laid dry over a bed of 6 mm thick cement sand mortar 1:6 grouted with cement sand mortar 1:4 and top surface to be left clean after wire brushing. | | | |
| | 57 | sqm | 1st storey | 32 | sqm. | 14.24 |
| | 116 | sqm | 2nd storey | 32.55 | sqm. | 14.24 +Note |
| | 116 | sqm | 3rd storey | 33.1 | sqm. | 14.24 + Note |

Contractor

Witness

Executive Engineer

| | | | | | | |
|----|-----|------|---|--------|------|----------------|
| | 116 | sqm | 4th storey | 33.65 | sqm. | 14.24 + Note |
| 35 | | | Kotah stone flooring minimum 25 mm thick in any pattern as specified over 20 mm thick base of cement coarse sand mortar 1: 3 laid and jointed with neat cement slurry mixed with pigment to match the shade of stone including rubbing and polishing | | | |
| | 368 | sqm | 1st storey | 201.95 | sqm. | 14.62 |
| | 223 | sqm | 2nd storey | 202.25 | sqm. | 14.62+ Note |
| | 223 | sqm. | 3rd storey | 202.55 | sqm. | 14.62+Note |
| | 223 | sqm. | 4th storey | 202.85 | sqm. | 14.62+Note |
| | 142 | sqm. | 5th storey | 203.15 | sqm. | 14.62+Note |
| 36 | 224 | sqm | Extra for Kotah stone flooring in treads of steps not exceeding 30 cm in width. (Labour rate only) | 1.15 | sqm. | 14.64 (Labour) |
| 37 | 895 | Mtr | Extra for nosing in treads of steps of Kotah stone slab (Labour rate only) | 6.1 | Mtr. | 14.65 (Labour) |
| 38 | | | Kotah stone 20 mm thick in skirting risers of steps, dados, pillars and wall facing (lining) and pillars laid on 12 mm thick cement coarse sand plaster 1:3 laid and jointed with neat cement slurry, mixed with pigment to match the shade of stone including rubbing and polishing including labour for mixing cramps, dowels and pins etc. | | | |
| | 229 | sqm | 1st storey | 237 | sqm. | 14.66 |
| | 72 | sqm. | 2nd storey | 237.3 | sqm. | 14.66+ Note |
| | 72 | sqm. | 3rd storey | 237.6 | sqm. | 14.66+ Note |
| | 72 | sqm. | 4th storey | 237.9 | sqm. | 14.66+ Note |
| | 15 | sqm | 5th storey | 238.2 | sqm. | 14.66 + Note |
| 39 | | | Providing and fixing PVC strip 40 mm wide in floors in Court yards. | | | |

Contractor

Witness

Executive Engineer

| | | | | | | |
|----|------|------|--|--------|------|-----------------------|
| | 1578 | Mtr. | (a) 4 mm thick | 4.75 | Mtr. | 14.81 (a) |
| 40 | | | Providing & fixing ceramic tiles/anti skid tiles of size 400mm x 400mm or above size of approved make in flooring, laid in any pattern as specified over base of 20mm thick cement coarse sand mortar 1:3 and jointed with white cement slurry mixed with pigment to match the shade of tiles. | | | |
| | 0 | | Note:- Tile shall be of premium quality (first quality) of approved reputed manufacturer like NITCO, KAJA-RIA, SOMANI, ORIENT & JOHNSONS, RAK as per list attached | | | |
| | 7185 | sqm | Note :- Rate for all storey | 624 | sqm. | 14.91 |
| 41 | | | Providing and fixing 1st quality ceramic glazed wall tiles confirming to I.S 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-In-Charge in skirting, risers of steps and dados over 12mm thick bed of cement mortar 1:3 coarse and jointed with grey cement slurry, including pointing in white cement mixed with pigment of matching shades complete. | | | |
| | 2000 | sqm. | a) Size of ceramic Glazed tiles 200x300mm | 501.75 | sqm. | 14.92 |
| | | | Note:- Rate for all storey | | | |
| 42 | | | 12 mm thick cement plaster 1:6 on walls. | | | |
| | 2968 | sqm | 1st storey | 10.65 | sqm. | 15.7 |
| | 5936 | sqm | 2nd storey | 10.83 | sqm. | 15.7 +Note |
| | 5936 | sqm | 3rd storey | 11.01 | sqm. | 15.7 +Note |
| | 5936 | sqm | 4th storey | 11.19 | sqm. | 15.7 +Note |
| | 1304 | sqm. | 5th storey | 11.37 | sqm. | 15.7 + Note |
| 43 | | | 12 mm thick cement plaster 1:6 on top of parapet | | | |
| | 258 | sqm | 5th storey | 10.87 | sqm. | 15.7 (Derived) + Note |
| 44 | | | 15 mm thick cement plaster 1:6 on the rough side of single or half brick wall | | | |

Contractor

Witness

Executive Engineer

| | | | | | | |
|----|------|------|---|-------|------|------------------------|
| | 3364 | sqm | 1st storey | 13.1 | sqm. | 15.12 |
| | 6728 | sqm | 2nd storey | 13.28 | sqm. | 15.12 + Note |
| | 6728 | sqm | 3rd storey | 13.46 | sqm. | 15.12 + Note |
| | 6728 | sqm | 4th storey | 13.64 | sqm. | 15.12 + Note |
| | 1100 | sqm | 5th storey | 13.82 | sqm. | 15.12 + Note |
| 45 | | | 10 mm thick C P 1:4 on floors (top of sun shade) | | | |
| | 56 | sqm | 1st storey | 10.8 | sqm. | 15.46 (Derived) |
| | 112 | sqm | 2nd storey | 10.98 | sqm. | 15.46 (Derived) + Note |
| | 112 | sqm | 3rd storey | 11.16 | sqm. | 15.46 (Derived) + Note |
| | 112 | sqm. | 4th storey | 11.34 | sqm. | 15.46 (Derived)+Note |
| | 47 | sqm. | 5th storey | 11.52 | sqm. | 15.46 (Derived)+Note |
| 46 | | | 10 mm thick CP 1:3 with two coats of white wash under bearing of slabs. | | | |
| | 87 | sqm | 1st storey | 12.7 | sqm. | 15.46 |
| | 87 | sqm | | 0.9 | sqm. | 16.47 |
| | 173 | sqm | 2nd storey | 12.88 | sqm. | 15.46 |
| | 173 | sqm | | 0.9 | sqm | +16.47 +Note |
| | 173 | sqm | 3rd storey | 13.06 | sqm. | 15.46 |
| | 173 | sqm | | 0.9 | sqm. | +16.47 +Note |
| | 173 | sqm | 4th storey | 13.24 | sqm. | 15.46 |
| | 173 | sqm | | 0.9 | sq. | +16.47 +Note |
| | 57 | sqm | 5th storey | 13.42 | sqm | 15.46 |
| | 57 | sqm | | 0.9 | sqm. | + 16.47 + Note. |
| 47 | | | 10 mm th CP 1:4 under side of ceiling | | | |
| | 1236 | sqm | 1st storey | 12.65 | sqm | 15.52 |
| | 2161 | sqm | 2nd storey | 12.83 | sqm. | 15.52+Note |
| | 2161 | sqm | 3rd storey | 13.01 | sqm. | 15.52+Note |
| | 2161 | sqm | 4th storey | 13.19 | sqm. | 15.52+Note |
| | 284 | sqm | 5th storey | 13.37 | sqm. | 15.52+Note |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|------------------------|
| 48 | | | 10 mm thick cement plaster 1:4 on walls or thin vertical section. | | | |
| | 765 | sqm | 2nd storey | 11.73 | sqm. | 15.52 (Derived) + Note |
| | 765 | sqm | 3rd storey | 11.91 | sqm. | 15.52 (Derived) + Note |
| | 765 | sqm | 4th storey | 12.09 | sqm. | 15.52 (Derived) + Note |
| 49 | | | 12 mm thick cement plaster 1;3 on vertical faces in shunken portion of toilet | | | |
| | 68 | sqm | 1st storey | 15 | sqm | 15.4 |
| | 136 | sqm | 2nd storey | 15.18 | sqm. | 15.4 +Note. |
| | 136 | sqm | 3rd storey | 15.36 | sqm. | 15.4 +Note. |
| | 136 | sqm | 4th storey | 15.54 | sqm. | 15.4 +Note. |
| 50 | 3367 | sqm | Preparation of ply wood surface for painting including sand papering the surface and applying filling with approved quality filler consisting of white lead, linseed oil, varnish and chalk mitti including finishing the surface to required finish complete (2nd quality) | 4.6 | sqm. | 16.1 |
| 51 | 4337 | sqm | Applying pink primer or aluminium priming coat on wood work including preparation of surface, knotting and stopping, etc. | 3.75 | sqm. | 16.2 |
| | | | (1st quality) Note :- Rate for all storey | | | |
| 52 | 4337 | sqm | Painting two coats excluding priming coat with synthetic enamel paint in all shades on new wood work or metallic or plastered or concrete surfaces to give an even shade.(1st quality) | 9.4 | sqm. | 16.3 |
| 53 | 2235 | sqm | Applying priming coat with metal primer on new steel or iron work including preparation of surface.(1st quality) | 3.15 | sqm. | 16.9 |
| | | | Note :- Rate for all storey | | | |
| 54 | 2235 | sqm | Painting two coats excluding priming coat with ready-mixed paint for metallic surfaces in all shades on new steel or iron work. | 7 | sqm. | 16.17 |
| | | | (1st quality) | | | |

Contractor

Witness

Executive Engineer

| Sr. No. | Qty. | | Description | Rate | Unit | HSR/NS |
|---------|-------|-----|---|--------|------|------------------------|
| 55 | 41325 | sqm | Distemping with washable oil bound distemper (of approved manufacture) two coats over one priming coat on new work | 9.1 | sqm. | 16.58 |
| 56 | | | Providing two coats of exterior acrylic emulsion paint applying priming coat with cement primer in all shades on newly plastered or concrete exterior surfaces | | | |
| | 15061 | sqm | (b) 1st quality (Rate for all storey) | 48.75 | sqm. | 16.79 (b) + |
| | 15061 | sqm | | 4.15 | sqm | 16.25 |
| 57 | | | Cost of aluminium fittings, complete for doors and windows, such as tower bolts, handles, etc., and screws for these fittings (excluding sliding bolt) (Rate for all storey) | | | |
| | 1707 | sqm | (a) For single leaf shutter | 17.8 | sqm. | 17.72 (a) |
| | 304 | sqm | (b) For Double leaf shutter | 27.45 | Sqm | 17.72 (b) |
| 58 | | | Providing and fixing sliding bolt with nuts and screws, etc., complete- | | | |
| | 553 | Nos | B (ii) aluminium-- Size 250 mm x 16 mm | 40.3 | each | 17.83 (b) (ii) |
| | | | (Rate for all storey) | | | |
| 59 | | | Factory-manufactured paneled door or glazed window, shutters of commercial hard wood, such as hollock, champ, chikrassy and chaplash, etc., (non-coniferous timber other than teak, conforming to I.S. specification No. 1003, kiln-seasoned), with 100 mm wide vertical styles, 150 mm wide lock rail, 200 mm wide bottom rail and 100 mm wide other rails, with panels of 15 mm thick, tongued and grooved of commercial hard wood and including cost of iron hinges, screws, chocks/cleats, stops, nails etc., complete fixed in position (excluding the cost of any fittings, other than specified above, but including labour for fixing the same in position) (Rate for all storey) | | | |
| | | sqm | (a) 30 mm thick | 398.15 | Sqm. | 17.90 (a) - Note 17.18 |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|--------------------------------------|
| 60 | | | Factory manufactured solid flush door shutters, with block board core as per I.S. No.1659-1969 bonded with water proof type phenol formaldehyde synthetic resin, hot-pressed, conforming to I.S. 2202 part I and II , fixed in position, including iron hinges, screws, chocks/cleats and stops, etc., (excluding the cost of any fittings other than specified above, but including labour for fixing the same in position):-- | | | |
| | | | (a) Commercial veneering with vertical grains or cross bands and face veneer on both sides commercial facing with laminated core and lipped edges:- | | | |
| | 1688 | sqm | (iii) 35 mm thick (Rate for all storey) | 436.15 | sqm. | 17.93(a)(iii) (-) Note 1 under 17.18 |
| 61 | 213 | Qtl. | Wrought iron and mild steel (using angles, flats square bars, tees and channels) ladders, grills, grating frames, window guards, iron doors openable or fixed stair case or parapet or any other type of railing, gates and tree guards etc., including cost of screws and welding rods or bolts and nuts complete fixed in position. | 1040.35 | Qtl. | 18.12 |
| | | | (For all storeyed) | | | |
| 62 | 4962 | Qtl. | Fe-500 EQR TMT steel bars for R.C.C. works, where not included in the complete rate of R.C.C. including bending, binding and placing in position complete. | 917.05 | Qtl. | 18.22 |
| 63 | | | Supplying and fixing glass panes including special metal sash putty of approved make. | | | |
| | 872 | sqm | b) Glass panes 4 mm thick exceeding 40 Sq.dm area | 115.4 | sqm | 18.30 (b) |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|-------------|-----------------|
| 64 | | | Pressed steel sheet frames (chowkats), consisting of 2 mm thick steel sheet of the specified section, including iron lugs (hold fasts), iron hinges, conforming to P.W.D. specifications, including bolts for fixing stops, locknotch, provision for receiving tower bolts, and finished with one coat of ready-mixed paint red lead non-setting primer, of approved quality, fixed in position including the cost of cement concrete 1:3:6 for filling in the frame, and cement concrete 1:3:6 for lugs complete :-- (Rate for all storey) | | | |
| | 5906 | Mtr. | (d) Door and window frame of size 114 mm x 50 mm with 35 mm wide double rebate. | 69.75 | Mtr. | 18.34 (d) |
| | 2740 | Mtr. | Centre mullion (Rate 69.75 X 1.5) 114 mm X 50 mm with 35 mm | 104.63 | Mtr | 18.34 (d) +Note |
| 65 | 57 | Qtl. | Providing and fixing M.S. angle and T-iron frames for door, window and ventilator including iron hold fast, butt hinges of I.S.I. mark fixed in position with machine screws and duly welded including all other suitable locking arrangements provided and welded with the frame and making holes and fixing glazing clips in the frame, filing the welds and finished with a coat of red lead non setting primer complete in all respects. | 1069.7 | Qtl. | 18.35 |
| 66 | 53 | Nos | PROVIDING AND FIXING IN POSITION H.C.I. GRATING 150 MM X 150 MM FOR GULLY TRAP INCLUDING PAINTING with black bitumastic superior paint of approved manufacture three coats. | 7.2 | each | 30.86 |
| 67 | 10000 | Kg | Providing & fixing Balcony railing / parapet railing of 40 mm M.S. square pipe having thickness 2.5 to 3.00 mm including, cutting jointing and welding and priming coat complete fixed in position as per entire satisfaction of Engineer-in-charge | 65 | Per Kg. | N.S. |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|---------------|
| 68 | 5057 | cum | Earth filling under floor with the earth brought from outside of the colony irrespective of lead including loading and unloading carriage, royalty/ compensation etc. and laid in required 15 cm. layers ramming, watering and consolidating completes laid as per PWD specifications under floor and court yards to the entire satisfaction of Engineer-in-Charge. | 170 | Cum | N S |
| 69 | | | Marble stone flooring 15 to 18 mm thick slab including matching grains of marble laid in any pattern as specified over base of 12 mm thick cement coarse sand mortar 1:3 and jointed with white cement slurry mixed with pigment to match the shade of marble including rubbing and polishing (using marble stone slab of size more than 0.38 sqm. each) | | | |
| | 400 | sqm | (C) (i) Baroda Green marble (including cost of marble) (Rate for all storey) | 1530 | Sqm. | N.S. |
| 70 | 41325 | sqm | Preparation of plastered surfaces for oil bound distemper, including sand papering by applying filler with wall putty two coats of approved standard brand Birla or J.K. make including finishing the surface to required finish complete all respect to the entire satisfaction of Engineer-in-charge. | 55 | sqm | N.S. |
| | | | (Rate for all storey) | | | |
| 71 | 176 | Nos | Providing of House number plate of size 9"x6" duly painted the surface with white synthetic enamel paint and writing of letter and figure with black synthetic enable paint complete as per drawing and as per instruction of Engineer-in-charge. | 50 | each | N.S. |
| 72 | 53 | Nos | Constructin of brickmasonry chamber of size 300mm x 300mm up to 18@ average depthin cement mortar 1:5 CC 1:8:16 in foundation bed of 15 cm thickness, 12 mm cement plaster 1:4 with a floating coat of 1mm thick neat cement | 560 | each | N.S. |

Contractor

Witness

Executive Engineer

| | | | | | | |
|----|------|----------|---|----------|-------------------------|-------|
| | | | topping including fixing C.I. grating of size 300x300 mm complete in all respect | | | |
| 73 | 42 | cum | Supplying and fixing stone aggregate of size 20 to 25 mm size in sunken portion of toilet, irrespective of any storey | 900 | cum. | N.S. |
| 74 | 2609 | Mtr s | 12 mm thick raised or sunk cement mortar band/drip course in cement mortar 1:4 (5 cm wide) | 0.30 x 5 | P mtr. P cm width | 15.78 |
| 75 | 237 | Mtr. | Providing and fixing PVC sleeve of 50 mm made of approved manufacturer as per drawing complete in all respects to the entire satisfaction of the Engineer-in-charge. | 168 | Mtr. | N.s. |
| 76 | 198 | sqm . | Providing and laying of Manglore Tiles of size 8 inch X 5 inch X 0.5 inch on roof top with 12 mm thick cement coarse sand mortar 1:3 at any level including cost of ridge where ever required as per drawing complete in all respect and filling arch hole of tiles with cement mortar and jointed with white cement slurry mixed with pigment complete and including beveled corner (Rate of all storeys) | 405 | sqm. | N.S. |

Contractor

Witness

Executive Engineer

Part - B Public Health Services:-

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|-------------|---------------|
| 1 | 295 | cum | EARTH WORK IN EXCAVATION IN FOUNDATIONS, TRENCHES, OF UNDER GROUND STRUCTURES, SULLAGE DRAINS, ETC., AND OTHER SIMILAR WORKS IN ORDINARY SOIL INCLUDING DRESSING of bottom and sides, to correct levels and templates, cutting of trees and bushes, dewatering of rain water, diversion of traffic, fixing and maintenance of caution boards, and night signals, crossing over trenches for access to houses, watching, stacking of excavated soil, clear from the edge of excavation, and subsequent filling, where required around masonry, in 15 cm. layers, with compaction AND DISPOSAL OF SURPLUS SOIL AS DIRECTED WITHIN A LEAD OF 30 METRES FOR DEPTH UPTO 2 METRES BELOW NATURAL GROUND LEVEL (For Public Health works only). | 932 | 100 cum | 6.7 |
| 2 | 153 | cum | Cement concrete 1:4:8 with stone aggregate 20 mm nominal size in foundation and plinth | 420 | cum | 10.38 |
| 3 | | | CUTTING HOLES UPTO 23 CM THROUGH STONE MASONRY OR BRICK WORK IN CEMENT WALLS FOR PIPES AND MAKING GOOD including repointing, replastering and finishing according to existing finish where required. | | | |
| | 737 | Nos. | (a) 11.43 cm thickness of walls | 14 | each | 28.24 (a) |
| | 368 | Nos. | (b) 22.86 cm thickness of walls | 20.35 | each | 28.24 (b) |
| 4 | | | CUTTING HOLES UPTO 23 CM SQUARE FOR PIPES IN FLOOR AND ROOFS OF CEMENT CONCRETE REINFORCED CONCRETE OR REINFORCED BRICK WORK AND MAKING GOOD including repointing, replastering, replacing bitumen and colour or white washing where required. | | | |
| | 368 | Nos. | (a) 115 mm thickness of floor or roof | 11.95 | Each | 28.26 (b) |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|--------------------|---------------|
| 5 | | | CONSTRUCTING BRICK MASONRY INSPECTION CHAMBER SIZES AS GIVEN BELOW UPTO 0.60 METRE AVERAGE depth in cement mortar 1:5 LIME CONCRETE with 40 percent lime mortar 2:3 in foundation cement concrete 1:2:4 BENCHING 12 mm THICK CEMENT PLASTER 1:2 with a floating coat of 1 mm thick of neat cement R.C.C. 1:2:4 SLAB 100mm THICK/C.C. TOPPING 50 mm THICK WITH 455 MM X 455 MM /455 MM X 610 MM INSIDE LIGHT DUTY C.I. INSPECTION CHAMBER COVER AND FRAME weight as per I.S.I. specification painted WITH 3 COATS OF black bitumastic superior paint complete as per standard design. | | | |
| | 53 | Nos. | (b) Size 450 mm x 600 mm inside (with 455 mm x 610 mm cover and frame single seal pattern I weighing 38 kg with C.C. topping) | 582 | each | 29.84 (b) |
| 6 | | | EXTRA FOR EVERY 0.30 METRE DEPTH OF INSPECTION CHAMBER | | | |
| | 32 | Mtr. | (b) 450 mm x 600 mm | 103 | per 0.30 Mtr.depth | 29.85 (b) |
| 7 | | | Providing SALT GLAZED STONE WARE PIPES GRADE 'A' IN STANDARD LENGTH of 600 mm EACH PIPE MARKED WITH IS:651 and their lowering, cutting, jointing and testing as described in HSR item No. 29.38, 29,39, 29.40 including the cost of jointing materials as well as carriage, loading, unloading, stacking, handling, re-handling etc. complete in all respects to the satisfaction to the Engineer-in-Charge. | | | |
| | 67 | Rmt | 100mm internal dia | 128 | Rmtr | 29.95 |
| | 205 | Rmt | 150mm internal dia | 199 | Rmtr | 29.95 |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|-------------|---------------|
| 8 | | | PROVIDING AND FIXING IN POSITION BEST INDIAN MAKE (ORDINARY) LAVATORY SUITES consisting of :-- | | | |
| | | | Lavatory in VITREOUS CHINAWARE size as given below (to the approval of the Engineer-in-charge) including china plug for tap hole where necessary; | | | |
| | | | R.S. or C.I. BRACKETS for building into wall including painting ; | | | |
| | | | 32 mm C.P. BRASS WASTE WITH C.P. brass chain and rubber plug; | | | |
| | | | 15 mm C.P BRASS SCREW DOWN PILLAR TAP WITH jam nuts or couplings best design (as approved by the Engineer-in-charge). | | | |
| | | | ALL FITTINGS BEST INDIAN MAKE AND; TO THE APPROVAL OF THE Engineer-in-charge. | | | |
| | | | ALL brass work chromium plated and COMPLETE in all respects INCLUDING cutting and MAKING GOOD THE WALLS, FLOORS AND PAINTING OF FITTINGS ETC. | | | |
| | | | WHITE | | | |
| | 176 | Nos. | (iv) Size 510 mm x 400 mm with one no. tap | 392 | each | 30.41 (iii) |
| 9 | 176 | Nos. | PROVIDING AND FIXING IN POSITION BEST INDIAN MAKE CHROMIUM PLATED BRASS 2 ND TAP FOR LAVATORY SUITE. | 92 | each | 30.45 |
| 10 | | | Providing and fixing in position 15mm i/d C.P. brass bib cocks of best quality (as required by the Engineer-in-charge). | | | |
| | 704 | Nos. | (a) Bib cock long body | 116 | each | 30.75(a) |
| | 176 | Nos. | (c) Bib cock short body | 100 | each | 30.75 (c) |
| 11 | | | Providing and fixing in position C.P. brass stop cocks (as approved by the Engineer-in-charge) | | | |
| | | | a) 15mm stop cock | | | |
| | 704 | Nos. | i) Stop cock male & female end | 101 | each | 30.76 (a) (i) |
| | 176 | Nos. | ii) Concealed stopcockwith flange | 130 | each | 30.76(a) (ii) |
| 12 | | | PROVIDING AND FIXING IN POSITION M.S. OR HEAVY FLAT IRON clamps made out of m.s. flat not less than 5 mm of the approved design for fixing C.I. soil, waste vent or anti pipes to walls COMPLTE IN ALL RESPECTS INCLUDING CUTTING AND MAKING GOOD THE WALLS AND FLOORS ETC., AND PAINTING. | | | |
| | | | | | | |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|-------------|----------------|
| | 316 | Nos. | (a) For 100 mm internal diameter pipes | 12.5 | Each | 30.88 (a) |
| | 632 | Nos. | (b) For 75 mm internal diameter pipes | 11 | Each | 30.88 (b) |
| 13 | | | PROVIDING AND FIXING LEAD INLET CONNECTION WITH BRASS UNION FOR FLUSHING AND WARNING PIPES COMPLETE IN ALL RESPECTS. | | | |
| | 528 | Nos. | (c) 15 mm alkathene pipe inlet connection | 10.5 | each | 30.93 (C) |
| 14 | | | CUTTING CHASE IN BRICK WALLS IN CEMENT OR IN FLOOR FOR EMBEDDING G.I. OR H.C.I. PIPE LINES AND MAKING GOOD THE SAME TO ITS ORIGINAL CONDITION | | | |
| | 2923 | Mtr. | (C) Size 75 mm x 50 mm | 4 | Rmt. | 30.95 (c) |
| 15 | | | PROVIDING AND FIXING IN POSITION AUTOMATIC BRASS BALL VALVES IN TANKS | | | |
| | 176 | Nos. | b) With Plastic Ball ii) Size 20mm internal diameter | 48 | Each | 30.110(b) (ii) |
| 16 | | | PROVIDING AND FIXING IN POSITION GULLY TRAPS FIXED IN CEMENT CONCRETE 1:4:8 complete WITH H.C.I. GRATING 150 MM x 150 MM CAST IRON COVER WEIGHING APPROXIMATELY 7.26 Kg. AND FRAME CLEAR OPENING 300mm X 300 mm and outside size 330 mm X 330 mm AND CHAMBER INCLUDING cost of all brick work in CEMENT MORTAR 1:5 CEMENT CONCRETE 1:8:16 IN FOUNDATIONS AND CEMENT CONCRETE 1:2:4 IN COPING around C.I. cover and frame etc. WITH THREE COATS of black bitumastic superior PAINT of approved manufacture on all C.I. work AS PER STANDARD DESIGN, minimum depth of water should be 150mm with a minimum seal 50mm | | | |
| | 105 | Nos. | (a) 100 mm internal diameter S.W. gully trap | 166 | each | 30.114 (a) |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|---------------|
| 17 | | | Providing and fixing HDPE WATER STORAGE TANKS of Sintex, Diplast, O.K. Supreme make with covers/lids marked with IS:12701 on roof top of buildings including cost of hoisting and placing in position, making connections with inlet and outlet pipes, providing over flow and scour provisions with suitable plug on scour pipe including cost of nipples, washers, flanges for connections in tanks complete in all respects to the entire satisfaction of Engineer-in-Charge. (Except civil work) as per HSR item no. 30.119 | | | |
| | 176 | Nos. | 500 Ltr. Capacity | 2682 | each | 30.119 |
| 18 | | | Providing and fixing in position U.P.V.C. (SWR) pipe Grade B for soil waste vent of antisiphonage pipe of approved make including suitable jointing, to ensure leak proof service as per instructions for laying, jointing laid by the manufacturers and including cutting & wastage etc. and cutting holes in walls, roofs or floors etc. and making good to its original condition but excluding the cost of cement concrete 1:2:4 around pipe line complete in all respect as per satisfaction of Engineer-in-charge | | | |
| | 356 | Mtr | (a) 150 mm outer dia pipe | 345 | Mtr. | N.S. |
| | 1369 | Mtr | (b) 110 mm outer dia pipe | 220 | Mtr. | N.S. |
| | 2500 | Mtr | (c) 90 mm outer dia pipe | 190 | Mtr. | N.S. |
| 19 | | | Providing and fixing in position best quality stainless steel kitchen sink with complete fittings of approved make as below: Conforming to IS specification or ISI marked. | | | |
| | | | i) Stainless steel kitchen sink without drainage board of approved make and size given below: | | | |
| | | | ii) 40mm stainless steel waste of approved make | | | |
| | | | iii) PVC flexible waste pipe of approved make as required by the Engineer-in-Charge. | | | |
| | | | Overall size 24" x 18" x 8" (Bowl size 20" x 16"x 8") | | | |
| | 176 | Nos. | Steel sink | 2500 | Each | N.S. |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|---------------|
| 20 | | | Providing and fixing in position best quality Indian make EUROPEAN type water closet suite (as approved by the Engineer-in-charge) of approved make consisting of :- | | | |
| | | | i) Wash down closet set vitreous chinaware water closet suit with horizontal inlet of approved make of ISI marked including cost of cement concrete 1:2:4 with stone aggregate 20 mm nominal size complete non concealed 100 mm dia UPVC (SWR) P or S trap with or without vent of approved make and suitable joint to ensure leak proof service for closet set as required | | | |
| | | | ii) One peace seat and lid in hollow black over white plastic fitted with chromium plated brass hinges and rubber buffers (to the approval of the Engineer-in-charge) | | | |
| | | | iii) 7.5 Liter capacity (twin liver cistern) mosquito proof PVC low level flushing cistern of approved make complete in all respect with all fitting and fixtures and including R.S. or C.I. bracket and cutting and making good the wall and floors and painting of brackets as per satisfaction of Engineer-in-charge (Two liver | | | |
| | | | i) 32mm dia PVC flush pipe complete with fittings as required. | | | |
| | 176 | Nos. | White (Double trap symphonic W.C. suite) | 2105 | each | N.S. |
| 21 | | | Providing, fixing and jointing union couplings in GI and W.I. pipe line. | | | |
| | 1056 | Nos | i) 15mm i/d | 60 | each | N.S |
| | 704 | Nos | ii) 20mm i/d | 100 | each | N.S. |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|-------------|---------------|
| 22 | | | Providing & fixing U.P.V.C. (SWR) 110mm x 90mm size Nahni trap with jali proved make including suitable jointing to ensure leak proof service and cement concrete 1:2:4 with stone aggregate 20mm nominal size under & around the trap where required up to floor level complete in all respect including cutting and making good the wall and floor etc. as per satisfaction of Engineer-in-Charge. | | | |
| | 704 | Nos. | a) with 90mm i/d inlet. | 170 | each | N.S. |
| 23 | | | Providing and fixing and jointing gun metal Peet valves (Heavy patterns) with hand wheels, on G.I. pipe lines laid in the ground or inside buildings. | | | |
| | 352 | Nos. | (i) 20mm dia | 465 | each | N.S. |
| 24 | | | Providing and fixing in position rigid U.P.V.C. (SWR) specials of approved make including suitable jointing, to ensure leak proof service and cutting & wastage etc. and cutting holes in walls, roofs or floors etc. and making good to its original condition. | | | |
| | | | (a) <u>For 150 mm dia pipe</u> | | | |
| | 53 | Nos | i) Socket /Collar | 90 | Each | N.S. |
| | 0 | | (b) <u>For 110mm dia pipe</u> | | | |
| | 53 | Nos. | ii) PVC Bend | 105 | Each | N.S. |
| | 105 | Nos. | iii) Socket/ Collar | 60 | Each | N.S. |
| | 53 | Nos. | iv) Cowl | 20 | Each | N.S. |
| | 211 | Nos. | v) Tee/Tee with door 110 x 110 x 110 mm | 130 | Each | N.S. |
| | | | c) <u>For 90mm dia pipe.</u> | | | |
| | 105 | Nos. | i) Bend | 75 | Each | N.S. |
| | 105 | Nos. | ii) Collar /Socket | 55 | Each | N.S. |
| | 105 | Nos. | iii) Cowl | 20 | Each | N.S. |
| | 553 | Nos. | iv) Tee/ Tee with door 90 x 90 x 90 mm | 125 | Each | N.S. |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|---------------|
| 25 | | | Providing, laying, jointing, fixing and testing G.I. pipe 'B' class and special, tees, bends, sockets, elbows etc. ISI marked of approved make inside and outside building and testing etc. complete including cutting and threading. Class B TATA or Jindal (Hisar) make | | | |
| | | | (inside/outside the building) 15 mm to 40 mm | | | |
| | 2923 | Mtr | i) 15mm dia GI pipeline | 165 | Mtr. | N.S. |
| | 6369 | Mtr | ii) 20mm dia GI pipeline | 195 | Mtr. | N.S. |
| 26 | 553 | Mtr | Providing and laying 20 mm dia G. I. Pipe B-Class of approved make for water connection to main water supply line. | 190 | Mtr. | N.S. |

Contractor

Witness

Executive Engineer

Part - C Internal Electrical Services:-

| <u>Sr. No.</u> | <u>Qty.</u> | | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|------|---|-------------|-------------|--------------------|
| 1 | 422 | Nos. | Supply and erection of blanking sheet in existing distribution board | 2.25 | Each | 31.16 |
| 2 | | | Miniature circuit breaker and Isolator | | | |
| | | | Supply and erection of miniature circuit breaker / isolator 240/415 V in the existing distribution board including making necessary connections | | | |
| | | | (a) Miniature Circuit Breakers of 9 K. A. breaking capacity. | | | |
| | 790 | Nos. | i) 6 amp to 32 amp (Single pole) | 95 | Each | 31.17 (a) (ii) |
| | 212 | Nos. | (iii) 40 Amp to 63 Amp. Single pole with Neutral (SPN) | 240 | Each | 31.17(a) (iii) |
| 3 | | | SUPPLY AND ERECTION OF FITTINGS AND ACCESSORIES. | | | |
| | 185 | Nos. | i) Electric Buzzer 220/230 volts A.C. bakelite with double coil. | 18 | Each | 31.18 (viii) |
| | 2053 | Nos. | ii) Bakelite Angle/Straight button holder large size. | 6.2 | Each | 31.18 (xi) |
| | | | Note: Jambo type, no extra payment | | | |
| | 422 | Nos. | iii) Supply and erection of hexagonal M.S. box 1.60 mm thick having each side 8 cms., 7.5 cm., deep top covered with M.S. lid by means of screws including 10 mm dia. 30 cm. long M.S. rod made into suitable suspension hook and erected in RCC slab for erection of fan the bottom covered with 3 mm thick bakelite sheet with suitable holes painting etc. complete with all labour and material required to complete the jobs in all respect. | 26.3 | Each | 31.18 (xxvi) |
| 4 | | | Supply and erection of PVC pipe of 6 kg. pressure, laid 1 metre below ground level complete, including digging refilling of the trench with jointing etc :- | | | |
| | 532 | Nos. | (b) PVC pipe 80 mm dia | 42 | each | 31.21 (XXX) (b) |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|---------------|
| 5 | | | EARTHING | | | |
| | 80 | Nos. | i) Earthing with G.I. earth pipe 4.5 Mtr. Long and 40 mm dia. With masonry enclosures on the top etc. as required. | 378 | Each | 31.22 (i) |
| | 80 | Nos. | ii) Extra for using salt and charcoal/coke for pipe earth electrode as required. | 125 | Each | 31.22 (ii) |
| | 1054 | Mtr | iii) Providing and laying earth connections from earth electrode with 4 mm dia. G.I. wire in 15 mm dia. G.I. pipe from earth electrode as required. | 24.5 | Mtr | 31.22 (xii) |
| 6 | 422 | Nos. | Supply and erection of 75mm X 75 mm X 60 mm deep M.S. box for telephone and inter-communication system including 2 pin 5 amp. Socket including cost of Bakelite sheet. | 18 | each | 31.35 (vii) |
| 7 | | | WIRES AND CABLES. | | | |
| | | | Supply and erection of PVC unsheathed copper conductor cable single core 1100 volts grade in pipe of suitable size excluding cost and erection of pipe. (Note: If equipment size of multi standard 1100 volts ISI copper conductor is used no extra payment will be made). | | | |
| | 12632 | Mtr | i) Size 1.50 Sq. mm (3/0.81 mm) | 10.2 | Mtr | 31.40(i) |
| | 6317 | Mtr | iii) Size 4.00 Sq. mm (7/0.85 mm) | 24.5 | Mtr | 31.40(iii) |
| | 6320 | Mtr | iv) Size 6.00 Sq. mm (7/1.05 mm) | 35.6 | Mtr | 31.40(iv) |
| 8 | | | Supply and erection of double door sheet steel enclosure distribution board suitable for MCBs and ELCBs etc. recessed in wall including bonding to earth with all labour and material required to complete the job in all respect upto to the entire satisfaction of the Engineer-in-Charge of the work | | | |
| | 212 | Nos. | iii) 12 way, S.P. & N. (Horizontal) | 1110 | each | 31.41 (ii) |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|-------------|---------------|
| 9 | | | Supply and erection of double pole /four pole residual current circuit breaker (RCCB/ELCB) suitable for operation on 240/415volt,50Hz AC supply installed in existing sheet steel enclosures including making necessary connection and bonding to earth with all labour and material required to complete the job in all respect upto the entire satisfaction of the Engineer-in-charge of the work | | | |
| | 212 | Nos. | ii) 40 Amp 240 volt Double Pole ELCB with 100 mA sensitivity. | 1330 | Each | 31.42(viii) |
| 10 | | | Supply and erection of PVC conduit pipe ISI marked (medium) recessed in walls/ceiling etc. including cost of PVC bands, inspection box and all other material required to complete the job in all respect upto the entire satisfaction of the Engineer-in-Charge of work. | | | |
| | 4211 | Mtr | i) 20 mm dia. | 31 | Mtr | 31.44(a) |
| | 3159 | Mtr | ii) 25 mm dia. | 37 | Mtr | 31.44(b) |
| 11 | | | Supply and erection of PVC conduit pipe ISI marked (Medium) recessed in wall/ceiling etc. including the cost of PVC bends, inspection boxes, iron hooks and cement concrete etc. complete in all respect upto the entire satisfaction of Engineer-in-charge of work. | | | |
| | 2897 | Mtr | a) PVC pipe of 32 mm dia. | 45 | Mtr. | 31.58 (a) |
| 12 | | | PVC INSULATED WIRING IN RECESSED PVC CONDUIT | | | |
| | | | Wiring in 1.5 sq.mm (22/0.30MM) PVC insulated ISI, 1100 V grade copper conductor multi standard cable as per IS 694 in rigid PVC conduit pipe ISI (Medium) IS 9537, PVC bends and MS circular inspection box of required size with MS boxes modular type, Zink coated 18 gauge sheet as per relevant IS code including ISI electronic step type (two module) fan regulator, switches, sockets, MS, junction boxes and covered with 3mm thick bakelite ISI sheet with brass screws/washers and refilling the chases including the cost of cable, PVC pipe, PVC bend sheets Paino type switch, ceiling rose, electronic step type (two module) fan regulator, socket & cutting and filling the chases. | | | |
| | | | A) Fan Point | | | |
| | 0 | Nos. | Short point | 695 | Each | N.S. |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|--|-------------|-------------|---------------|
| | 422 | Nos. | Medium point | 840 | Each | N.S. |
| | 0 | Nos. | Long point | 1005 | Each | N.S. |
| | | | B) LIGHT POINT | | | |
| | 1159 | Nos. | Short point | 305 | Each | N.S. |
| | 844 | Nos. | Medium point | 440 | Each | N.S. |
| | 844 | Nos. | Long point | 600 | Each | N.S. |
| | | | C) TWIN CONTROL LIGHT POINT | | | |
| | 108 | Nos. | Short point | 335 | Each | N.S. |
| | 0 | Nos. | Medium point | 440 | Each | N.S. |
| | 108 | Nos. | Long point | 700 | Each | N.S. |
| | | | D) CALL BELL POINT | | | |
| | 185 | Nos. | Long point | 685 | Each | N.S. |
| | | | E) 3 PIN 5 AMP PLUG POINT WITH EARTHING THE 3rd PIN etc. with 0.75 Sq. mm. (24/0.20 copper cable) | | | |
| | 790 | Nos. | Short point | 360 | Each | N.S. |
| | 396 | Nos. | Medium point | 500 | Each | N.S. |
| | 396 | Nos. | Long point | 665 | Each | N.S. |
| | | | F) 3/5 PIN 10/15 AMP WALL SOCKET POINT IN 4 Sq. mm. PVC INSULATED COPPER CONDUCTOR CABLE INCLUDING EARTHING THE 3rd PIN WITH 1.50 Sq.mm (22/0.30) copper cable | | | |
| | | Nos. | Medium point | 730 | Each | N.S. |
| | 396 | Nos. | Long point | 995 | Each | N.S. |

Contractor

Witness

Executive Engineer

| <u>Sr. No.</u> | <u>Qty.</u> | <u>-</u> | <u>Description</u> | <u>Rate</u> | <u>Unit</u> | <u>HSR/NS</u> |
|----------------|-------------|----------|---|-------------|-------------|---------------|
| 13 | 28 | Nos. | Supply, correction and commissioning of cubical panel dust & yermin proof synthetic light gray powder coated L.T. meter panel extendable type, having 4Nos.copper bus bar rating 200 amp. of 55cmsx38mmx6mm with PVC heat sinkable free standing floor mounting / fixed in cc made out of 14 gauge mild steel sheet with 75mmx40mmx6mm MS channel base frame for fixing the panel suitable for operation on 3 phase 4wire 50hZ ac Supply size as per site requirement & space to accommodate out going space for 8nos. single phase energy meter & 1No incoming, for 200Amp MCCB, incoming8 No., 40 amp, MCB SPN 4 Nos. copper bus bar suitable size of cablealley including cost of meter panel 8no, 200amp MCCB (TPN), 4nos copper bus bar of 200amp,size 38mmx6mm each of 55 cms & suitable size of standard copper conductor cable for electric connection i.e. for bus bar to enery meter and to MCB and any other material required to complete the job | 60000 | each | N.S. |

Sd-
Executive Engineer,
Housing Board Haryana,
Rohtak

(DNIT Approved)

-Sd-
Chief Engineer,
Housing Board Haryana,
Panchkula

-sd-
CHD

-sd-
CS

-sd-
SE

Contractor

Witness

Executive Engineer